



D-Link DGS-105 Unmanaged L2 Gigabit Ethernet (10/100/1000) Schwarz



Marke : D-Link

Artikel-Code: DGS-105/E

Produktname : DGS-105

DGS-105 - 5-Port 10/100/1000 Gigabit Metal Housing Desktop Switch, Auto MDI/MDIX, Full/half-duplex, Jumbo Frames, 10 Gbps, QoS, Schwarz

D-Link DGS-105. Switch-Typ: Unmanaged, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 5. Vollduplex. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 10 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Netzstecker: DC-Anschluss

Management-Funktionen

Switch-Typ * Unmanaged

Switch-Ebene L2

Quality of Service (QoS) Support ✓

Anschlüsse und Schnittstellen

Anzahl der basisschaltenden RJ-45 Ethernet Ports *

5

Basic Switching RJ-45 Ethernet Ports-Typ *

Gigabit Ethernet (10/100/1000)

Netzstecker

DC-Anschluss

Netzwerk

Netzstandard * IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x

Kupfer Ethernet Verkabelungstechnologie 1000BASE-T, 100BASE-TX, 10BASE-T

Vollduplex ✓

Unterstützung Datenflusssteuerung ✓

Auto MDI/MDI-X ✓

Datenübertragung

Datenrate 10/100/1000 Mbps

Routing-/Switching-Kapazität * 10 Gbit/s

MAC-Adressentabelle * 2000 Eintragungen

Store-and-Forward ✓

Max. Datenübertragungsrate 1 Gbit/s

Jumbo Frames Unterstützung ✓

Datenpaket-Pufferspeicher 0,128 MB

Sicherheit

MAC Adressen Filtern ✓

Design

Rack-Einbau * ✗

Produktfarbe Schwarz

Gehäusematerial Metall

Leistungen

Mittlere Betriebsdauer zwischen Ausfällen (MTBF) 1688338 h

Sonstige Funktionen

Übertragungstechnik Kabelgebunden

Betriebsbedingungen

Betriebstemperatur 0 - 50 °C

Temperaturbereich bei Lagerung -10 - 70 °C

Relative Luftfeuchtigkeit in Betrieb 10 - 90%

Luftfeuchtigkeit bei Lagerung 5 - 90%

Gewicht und Abmessungen

Breite 100 mm

Tiefe 98 mm

Höhe 28 mm

Gewicht 267 g

Verpackungsdaten

Verpackungsbreite 170 mm

Verpackungstiefe 220 mm

Verpackungshöhe 62 mm

Paketgewicht 450 g

Technische Details

Versandkartonshöhe 36,6 cm

Versandkartonsbreite 23 cm

Versandkartonslänge 33,5 cm

Nettogewicht Versandkarton 5 kg

Menge pro Versandkarton 10 Stück(e)

Palettenbruttogewicht (Luft) 439,8 kg

Anzahl der Kartons pro Palette (Luft) 75 Stück(e)

Anzahl pro Palette (Luft) 750 Stück(e)

Palettenlänge (brutto) 120 cm

Palettenbreite (brutto) 110 cm

Palettenhöhe (Luft) 2,04 m

Palettenbruttogewicht (Meer) 439,8 kg

Anzahl der Kartons pro Palette (See) 75 Stück(e)

Anzahl pro Palette (See) 750 Stück(e)

Palettenhöhe (See) 2,04 m

Gewicht (innerer) Versandkarton 5,53 kg

Energie		Zertifikate	
Eingangsstrom	1 A	Zertifizierung	FCC Class B, ICES-003 Class B, CE Class B, C-Tick Class B, VCCI Class B, cUL, CB, RoHS
Eingangsspannung	5 V		
Stromverbrauch (Standardbetrieb)	2,1 W		
Sonstige Funktionen		Logistikdaten	
Datenübertragungsrate	2000 Mbit/s	Warentarifnummer (HS)	85176990
Abmessungen (BxTxH)	100 x 98 x 28 mm		



0790069368226



790069368226



7900693682268



5054484711827

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.