

NETGEAR MS108UP Unmanaged 2.5G Ethernet (100/1000/2500) Power over Ethernet (PoE)

Marke : NETGEAR

Artikel-Code: MS108UP-100EUS

Produktname : MS108UP



NETGEAR MS108UP. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: 2.5G Ethernet (100/1000/2500), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. Vollduplex. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 40 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt,.... DC input Spannung: 54 V. Power over Ethernet (PoE). Wandmontage



Management-Funktionen		Design	
Switch-Typ *	Unmanaged	Wandmontage	✓
Quality of Service (QoS) Support	✓	Anzahl Lüfter	0 Lüfter
Anschlüsse und Schnittstellen		Elektromagnetische Verträglichkeit	CE, FCC part 15 Class B, ISED, VCCI, KC, CCC, BSMI, RCM
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Leistungen	
Basic Switching RJ-45 Ethernet Ports-Typ *	2.5G Ethernet (100/1000/2500)	Ventilatorlos	✓
Anzahl 2.5G Ethernet (Kupfer)-Ports	8	Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	373643,7 h
Netzwerk		Energie	
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x	Energiequelle *	Gleichstrom
10G-Unterstützung *	✗	Netzteil enthalten *	✓
Vollduplex	✓	DC input Spannung	54 V
Halb-Duplex	✓	Eingangsstrom	4.7 A
Auto MDI/MDI-X	✓	Power over Ethernet (PoE)	
Head-of-Line (HOL)-Blocking	✓	Power over Ethernet (PoE) *	✓
Ethernet LAN Datentransferraten	100,1000,2500 Mbit/s	Anzahl Power over Ethernet plus (PoE+) Anschlüsse	8
Auto-Abtastung	✓	Gesamtleistung Power over Ethernet (PoE)	230 W
VLAN-Unterstützung	✓	Betriebsbedingungen	
Anzahl der VLANs	64	Betriebstemperatur	0 - 40 °C
Datenübertragung		Temperaturbereich bei Lagerung	-20 - 70 °C
Routing-/Switching-Kapazität *	40 Gbit/s	Relative Luftfeuchtigkeit in Betrieb	0 - 90%
MAC-Adressentabelle *	16000 Eintragungen	Höhe bei Betrieb	0 - 3000 m
Wartezeit (1 Gbps)	3,593 µs	Wärmeableitung	923,49 BTU/h
Jumbo Frames Unterstützung	✓	Gewicht und Abmessungen	
Jumbo-Frames	12000	Breite	210 mm
Paketweiterleitungsrate (1 Gbit/s)	1488000 pps	Tiefe	140 mm
Datenpaket-Pufferspeicher	1,5 MB	Höhe	40 mm
Design		Gewicht	900 g
Rack-Einbau *	✗	Zertifikate	
Gehäusematerial	Metall	Zertifizierung	CB, CSA, CCC, BSMI, RCM

Design		Logistikdaten	
LED-Anzeigen	Aktivität, Link, PoE, Leistung	Warentarifnummer (HS)	85176990



0606449156874



606449156874

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.