



TP-Link FESTA F52-WALL(EU) WLAN Access Point 1200 Mbit/s Weiß Power over Ethernet (PoE)

Marke : TP-Link

Artikel-Code: FESTA F52-WALL(EU)

Produktname : FESTA F52-WALL(EU)

TP-Link FESTA F52-WALL(EU). 2,4 GHz, 5 GHz, Maximale Datenübertragungsrate: 1200 Mbit/s.
Unterstützte Sicherheitsalgorithmen: WPA2-Enterprise, WPA2-Personal, WPA-Enterprise, SNMPv2, SNMPv3, WPA-Personal, SSH. Ethernet LAN Datentransferraten: 1000 Mbit/s. Power over Ethernet (PoE).
Produktfarbe: Weiß. Stromverbrauch (max.): 24,4 W



Merkmale		Management-Funktionen	
2,4 GHz *	✓	Syslog	✓
5 GHz *	✓	Upgradefähige Firmware	✓
6 GHz *	✗	Anschlüsse und Schnittstellen	
Maximale Datenübertragungsrate *	1200 Mbit/s	Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4
Maximale Datenübertragungsrate (2,4 GHz)	300 Mbit/s	Energie	
Maximale Datenübertragungsrate (5 GHz)	867 Mbit/s	Power over Ethernet (PoE) *	✓
Ethernet LAN Datentransferraten	1000 Mbit/s	Power-over-Ethernet (PoE)-Typ unterstützt	Active PoE, Passive PoE
Netzstandard	IEEE 802.11n, IEEE 802.11a, IEEE 802.11ac, IEEE 802.3af, IEEE 802.11b, IEEE 802.11g	Stromverbrauch (max.)	24,4 W
Abgedeckter Bereich	25 m²	Design	
Zahl der Benutzer	200 Benutzer	Platzierung *	Wand
MIMO	✓	Produktfarbe *	Weiß
MIMO-Typ	Multi User MIMO	Reset-Knopf	✓
VLAN-Unterstützung	✓	LED-Anzeigen	✓
Kabellose Isolierung	✓	Antenne	
Airtime Fairness (ATF)	✓	Antennentyp *	Intern
Quality of Service (QoS) Support	✓	Antenne Zunahmehöhe (max)	4 dBi
BeamForming	✓	Zertifikate	
Sendeleistung (CE)	20 - 23 dbm	Konformitätsbescheinigungen	Eidgenössische Kommunikationskommission (FCC), RoHS, CE
Sendeleistung (FCC)	21 - 21 dbm	Gewicht und Abmessungen	
Sicherheit		Breite	143 mm
Unterstützte Sicherheitsalgorithmen *	WPA2-Enterprise, WPA2-Personal, WPA-Enterprise, SNMPv2, SNMPv3, WPA-Personal, SSH	Tiefe	86 mm
MAC Adressen Filtern	✓	Höhe	20 mm
Funktionen Service Set Identifier (SSID)	Multiple SSIDs, SSID broadcast		

Sicherheit		Gewicht und Abmessungen	
Anzahl der SSID-Unterstützung	16	Gewicht	212 g
Gastzugang	✓	Lieferumfang	
Fernauthentifizierungs-Einwähl-Benutzerdienst (RADIUS)	✓	Menge pro Packung	1 Stück(e)
Management-Funktionen		Montageset	✓
Web-basiertes Management	✓	Schnellstartübersicht	✓
		Betriebsbedingungen	
		Relative Luftfeuchtigkeit in Betrieb	10 - 90%
		Betriebstemperatur	0 - 40 °C
		Temperaturbereich bei Lagerung	-40 - 70 °C
		Luftfeuchtigkeit bei Lagerung	5 - 90%

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.