



TP-Link Omada EAP725-Wall 5012 Mbit/s Weiß Power over Ethernet (PoE)

Marke : TP-Link

Produktfamilie: Omada

Artikel-Code: EAP725-WALL

Produktname : EAP725-Wall

BE3600 Wi-Fi 7 (2882 Mbps on 5 GHz + 688 Mbps on 2.4 GHz), 2x 2.5G Ethernet, 2x Gigabit Ethernet, 802.3at/bt PoE, 143 x 86 x 40 mm

TP-Link Omada EAP725-Wall 5012 Mbit/s Weiß Power over Ethernet (PoE):


BE3600 Wi-Fi 7 Wall Plate Access Point for Ultra-Fast Connectivity

Optimierte kabelgebundene Leistung mit 2.5G PoE-Ports

Mit einem 2.5G PoE-Eingangs- und Pass-Through-Port sowie zwei Gigabit-RJ45-Ports profitieren Sie von schnellen Datenübertragungen und der Möglichkeit, mehrere Geräte in Ihr Gigabit-Netzwerk einzubinden. Kabelgebundene Geräte wie IP-Telefone können ohne zusätzliche Stromkabel mit Energie versorgt werden.

Nahtlose Integration in das Omada SDN

Verwalten Sie Ihre Access Points, Switches und Router standortunabhängig über mehrere Standorte hinweg – alles über eine einzige Oberfläche.



Merkmale		Design	
2,4 GHz *	✓	Platzierung *	Zimmerdecke, Wand
5 GHz *	✓	Produktfarbe *	Weiß
6 GHz *	✗	Reset-Knopf	✓
Maximale Datenübertragungsrate *	5012 Mbit/s	LED-Anzeigen	✓
Maximale Datenübertragungsrate (2,4 GHz)	688 Mbit/s	Antenne	
Maximale Datenübertragungsrate (5 GHz)	2882 Mbit/s	Antennentyp *	Intern
Ethernet LAN Datentransferraten	10,100,1000,2500 Mbit/s	Anzahl der Antennen	4
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n, IEEE 802.3at	Antenne Zunahmeniveau (max)	5 dBi
Zahl der Benutzer	250 Benutzer	Leistungen	
VLAN-Unterstützung	✓	Kompatible Betriebssysteme	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10, Windows 11, Linux
Airtime Fairness (ATF)	✓	Zertifikate	
BeamForming	✓	Zertifizierung	FCC, RoHS
Sicherheit		Gewicht und Abmessungen	
Unterstützte Sicherheitsalgorithmen *	WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise, WPA3-Personal	Breite	86 mm
MAC Adressen Filtern	✓	Tiefe	40 mm
Anzahl der SSID-Unterstützung	16	Höhe	143 mm
Fernauthentifizierungs-Einwähl-Benutzerdienst (RADIUS)	✓	Verpackungsdaten	
Zugriffskontrollliste	✓	Verpackungsart	Box
Anschlüsse und Schnittstellen		Lieferumfang	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	3	Menge pro Packung	1 Stück(e)
		Montageset	✓
		Betriebsbedingungen	
		Relative Luftfeuchtigkeit in Betrieb	10 - 90%
		Betriebstemperatur	0 - 40 °C

Energie		Betriebsbedingungen	
Power over Ethernet (PoE) *	✓	Temperaturbereich bei Lagerung	-40 - 70 °C
Stromverbrauch (max.)	17 W	Luftfeuchtigkeit bei Lagerung	5 - 90%



8885020626353



1210002607582



0810142823173



810142823173

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.