

Epson ES-C380W ADF + Bogenscanner 600 x 600 DPI A4 Schwarz

Marke : Epson

Artikel-Code: B11B269401

Produktname : ES-C380W

Epson ES-C380W. Maximale Scan-Abmessung: 215,9 x 5588 mm, Optische Scan-Auflösung: 600 x 600 DPI, Eingabe Farbtiefe: 30 Bit. Scanner-Typ: ADF + Bogenscanner, Produktfarbe: Schwarz, Steuerung: Tasten. Tägliche Einschaltdauer (max): 3500 Seiten, Lichtquelle: ReadyScan LED, Scan to: E-Mail, FTP, Network folder, Drucken. Kapazität der Papiereingabe (Standard): 20 Blätter. Maximale Papiergröße der ISO A-Serie: A4, Unterstützte Scan-Medientypen: Visitenkarte, Plastik-Karte, Post Card(JPN), ISO-A-Formate (A0...A9): A4, A5, A6



Scannen		Anschlüsse und Schnittstellen	
Maximale Scan-Abmessung *	215,9 x 5588 mm	USB Anschluss *	✓
Optische Scan-Auflösung *	600 x 600 DPI	USB-Version	2.0
Duplex-Scan *	✓	Netzwerk	
Eingabe Farbtiefe	30 Bit	WLAN	✓
Ausgabe Farbtiefe	24 Bit	WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Ausgabe Monochromtiefe	8 Bit	Energie	
Design		Netzteiltyp *	AC
Scanner-Typ *	ADF + Bogenscanner	Stromverbrauch (Standardbetrieb)	10 W
Produktfarbe *	Schwarz	Stromverbrauch (Standby)	1 W
Steuerung	Tasten	Stromverbrauch (PowerSave)	4 W
Eingebautes Display *	✗	Eingangsspannung	100 - 240 V
Leistungen		Gewicht und Abmessungen	
Lichtquelle	ReadyScan LED	Breite	296 mm
Tägliche Einschaltdauer (max) *	3500 Seiten	Tiefe	104 mm
Scan to	E-Mail, FTP, Network folder, Drucken	Höhe	125 mm
Scan-Treiber	ICA, SANE, TWAIN, WIA	Gewicht	1,9 kg
Eingangskapazität		Systemanforderung	
Kapazität der Papiereingabe (Standard)	20 Blätter	Unterstützt Windows-Betriebssysteme	Windows 10, Windows 11, Windows 7, Windows 8
Papierhandhabung		Unterstützte Server-Betriebssysteme	Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2012 x64, Windows Server 2016
Unterstützte Scan-Medientypen	Visitenkarte, Plastik-Karte, Post Card(JPN)	Betriebsbedingungen	
Maximale Papiergröße der ISO A-Serie *	A4	Betriebstemperatur	5 - 35 °C
ISO-A-Formate (A0...A9)	A4, A5, A6	Temperaturbereich bei Lagerung	-25 - 60 °C
ISO-B-Formate	B5, B6	Relative Luftfeuchtigkeit in Betrieb	15 - 80%
US Briefgröße	✓		
Legal	✓		
Mediengewichte für das Papierfach	40 - 413 g/m²		

Betriebsbedingungen

Luftfeuchtigkeit bei Lagerung 15 - 85%



8715946718279

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.