

D-Link DEM-432XT Netzwerk-Transceiver-Modul Faseroptik 10000 Mbit/s SFP+ 1310 nm



Marke : D-Link

Artikel-Code: DEM-432XT

Produktname : DEM-432XT

D-Link DEM-432XT. SFP Transceiver-Typ: Faseroptik, Maximale Datenübertragungsrate: 10000 Mbit/s, Schnittstelle: SFP+. Produktfarbe: Gold, Metallisch, Mittlere Betriebsdauer zwischen Ausfällen (MTBF): 4650000 h. Maximale Spannung: 3,3 V, Stromstärke (maximal): 300 A. Konformitätsbescheinigungen: RoHS, Sicherheit: UL, TUV, CDRH, Zertifizierung: CE, FCC, VCCI, MSA. Breite: 14,8 mm, Tiefe: 11,8 mm, Höhe: 56,5 mm

Leistungen		Betriebsbedingungen	
SFP Transceiver-Typ *	Faseroptik	Temperaturbereich bei Lagerung	-40 - 85 °C
Maximale Datenübertragungsrate *	10000 Mbit/s	Relative Luftfeuchtigkeit in Betrieb	5 - 85%
Schnittstelle *	SFP+	Luftfeuchtigkeit bei Lagerung	5 - 95%
Single-Mode-Faser (SMF) unterstützt	✓	Gewicht und Abmessungen	
Multi-Mode-Faser (MMF) unterstützt	✗	Breite	14,8 mm
Optischer Kabelverbinder	LC	Tiefe	11,8 mm
Unterstützte Faserkabeldurchmesser (Kern/Mantel)	9/125 µm	Höhe	56,5 mm
SFP-Transceiver-Standard	LR	Gewicht	19,5 g
Maximal mögliche Übertragungsstrecke	10000 m	Verpackungsdaten	
Wellenlänge	1310 nm	Verpackungsbreite	74 mm
Tx-Leistung (min)	-8,5 dBmW	Verpackungstiefe	131 mm
Tx-Leistung (max)	0,5 dBmW	Verpackungshöhe	49 mm
Rx-Leistung (max)	-12,6 dBmW	Paketgewicht	64 g
Rx-Leistung (min)	0,5 dBmW	Logistikdaten	
Link-Budget	10,1 dB	Versandkartonslänge	36 cm
Netzstandard	IEEE 802.3ae	Versandkartonsbreite	26 cm
Ethernet-Kabel Verkablungstechnologie	10GBASE	Versandkartonshöhe	31 cm
Duplex-System	Voll	Nettogewicht Versandkarton	3,2 kg
Merkmale		Anzahl Produkte pro Innenkarton	50 Stück(e)
Produktfarbe	Gold, Metallisch	Palettenbruttogewicht (Luft)	272 kg
Hot-Plug-Unterstützung	✓	Anzahl der Kartons pro Palette (Luft)	60 Stück(e)
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	4650000 h	Anzahl pro Palette (Luft)	3000 Stück(e)
Energie		Palettenlänge (brutto)	102 cm
Maximale Spannung	3,3 V	Palettenbreite (brutto)	122 cm
Stromstärke (maximal)	300 A	Palettenhöhe (Luft)	199 cm
Zertifikate		Palettenbruttogewicht (Meer)	272 kg
Konformitätsbescheinigungen	RoHS	Anzahl der Kartons pro Palette (See)	60 Stück(e)
Sicherheit	UL, TUV, CDRH	Anzahl pro Palette (See)	3000 Stück(e)
Zertifizierung	CE, FCC, VCCI, MSA	Palettenhöhe (See)	199 cm
Betriebsbedingungen		Gewicht (innerer) Versandkarton	4,2 kg
Betriebstemperatur	0 - 70 °C	Warentarifnummer (HS)	85369010



0790069353208



790069353208



7900693532082



0790069353215



790069353215



0790069353192



790069353192

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 29-OCT-2026. Prints or copies of Information are only valid on the printed Publication date