



TP-Link TL-SF1016DS Unmanaged Fast Ethernet (10/100) 1U Schwarz

Marke : TP-Link

Artikel-Code: TL-SF1016DS(UN)

Produktname : TL-SF1016DS

TP-Link TL-SF1016DS. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Fast Ethernet (10/100), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 16. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 3,2 Gbit/s. Netzstandard: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Rack-Einbau, Formfaktor: 1U



Management-Funktionen		Design	
Switch-Typ *	Unmanaged	Anzahl Lüfter	0 Lüfter
Anschlüsse und Schnittstellen		Leistungen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	16	Ventilatorlos	✓
Basic Switching RJ-45 Ethernet Ports-Typ *	Fast Ethernet (10/100)	Energie	
Fast Ethernet (Kupfer)-Anschlüsse	16	Energiequelle *	AC
Netzwerk		Netzteil enthalten *	✓
Netzstandard *	IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	AC Eingangsspannung	100 - 240 V
10G-Unterstützung *	✗	AC Eingangsfrequenz	50/60 Hz
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-T	Stromverbrauch (Standardbetrieb)	2,1 W
unterstützte Kabeltypen	Cat3, Cat4, Cat5, Cat5e	Power over Ethernet (PoE)	
Unterstützung Datenflusssteuerung	✓	Power over Ethernet (PoE) *	✗
Auto MDI/MDI-X	✓	Betriebsbedingungen	
Ethernet LAN Datentransferraten	10,100 Mbit/s	Betriebstemperatur	0 - 40 °C
Auto-Negotiation-Funktion	✓	Temperaturbereich bei Lagerung	-40 - 70 °C
Datenübertragung		Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Routing-/Switching-Kapazität *	3,2 Gbit/s	Luftfeuchtigkeit bei Lagerung	5 - 90%
Durchgang	2,38 Mpps	Wärmeableitung	7,03 BTU/h
MAC-Adressentabelle *	8000 Eintragungen	Gewicht und Abmessungen	
Store-and-Forward	✓	Breite	294 mm
Datenpaket-Pufferspeicher	2 MB	Tiefe	180 mm
Sicherheit		Höhe	44 mm
Statische Anschlusssicherheit	✓	Lieferumfang	
Protokolle		Mitgelieferte Kabel	AC
Unterstützte Netzwerkprotokolle	TCP/IP	Benutzerhandbuch	✓
Design		Rackmontageset	✓
Rack-Einbau *	✓	Verpackungsdaten	
Stapelbar *	✗	Gummifüße	✓
		Verpackungsbreite	250 mm
		Verpackungstiefe	400 mm
		Verpackungshöhe	80 mm

Design		Verpackungsdaten	
Formfaktor	1U	Paketgewicht	1,95 kg
Produktfarbe	Schwarz	Nachhaltigkeit	
Gehäusematerial	Metall	Nachhaltigkeitskonformität	✓
Ungenutzter Lüfter-Support	✓	Zertifikate	
		Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS
		Zertifizierung	FCC, RoHS

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.