

ZYXEL

Zyxel GS1900-8HP v3 PoE Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : Zyxel

Artikel-Code: GS1900-8HP-EU0103F

Produktname : GS1900-8HP v3 PoE



Zyxel GS1900-8HP v3 PoE. Switch-Typ: Managed, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. Vollduplex. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 16 Gbit/s. Netzstandard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE.... Netzstecker: DC-Anschluss. Power over Ethernet (PoE)



Management-Funktionen		Multicast-Funktionen	
Switch-Typ *	Managed	Multicast Unterstützung	✓
Switch-Ebene	L2	Design	
Quality of Service (QoS) Support	✓	Produktfarbe	Schwarz
Web-basiertes Management	✓	Reset-Knopf	✓
Anschlüsse und Schnittstellen		Leistungen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	533086 h
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Energie	
Netzstecker	DC-Anschluss	Energiequelle *	AC/DC
Netzwerk		AC Eingangsspannung	100 - 240 V
Netzstandard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	AC Eingangsfrequenz	50 - 60 Hz
		Stromverbrauch (Standardbetrieb)	90 W
Vollduplex	✓	Power over Ethernet (PoE)	
Unterstützung Datenflusssteuerung	✓	Power over Ethernet (PoE) *	✓
Broadcast-Sturmkontrolle	✓	Anzahl Power over Ethernet (PoE) Anschlüsse	8
Ratenbeschränkung	✓	Gesamtleistung Power over Ethernet (PoE)	70 W
Auto MDI/MDI-X	✓	Betriebsbedingungen	
VLAN-Unterstützung	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Datenübertragung		Gewicht und Abmessungen	
Routing-/Switching-Kapazität *	16 Gbit/s	Breite	250 mm
MAC-Adressentabelle *	8000 Eintragungen	Tiefe	104 mm
Anzahl Queues	8	Höhe	27 mm
Jumbo Frames Unterstützung	✓	Gewicht	710 g
Jumbo-Frames	9216		

Sicherheit		Zertifikate	
DHCP-Funktionen	DHCP client	Zertifizierung	CE, FCC, C-Tick, RoHS
IGMP-Snooping	✓	Logistikdaten	
Unterstützte Sicherheitsalgorithmen	802.1x RADIUS	Warentarifnummer (HS)	85176990
MAC Adressen Filtern	✓		



4718937621279

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.