



TP-Link Omada DR3650V-4G(EU) WLAN-Router Gigabit Ethernet Dual-Band (2,4 GHz/5 GHz) Schwarz



Marke : TP-Link

Produktfamilie: Omada

Artikel-Code: DR3650V-4G(EU)

Produktname :
DR3650V-4G(EU)

TP-Link Omada DR3650V-4G(EU). WAN-Verbindungstyp: RJ-45. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), WLAN Datentransferrate (max.): 2402 Mbit/s, WLAN-Standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Schnittstellentyp Ethernet-LAN: Gigabit Ethernet, Ethernet LAN Datentransferraten: 10,100,1000 Mbit/s, Verkabelungstechnologie: 10/100/1000Base-T(X). Unterstützte Sicherheitsalgorithmen: WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise, WPA3-Personal, NAT Funktionalität: One-to-One NAT Multi-Net NAT Virtual Server Port Triggering1 NAT-DMZ FTP/H.323/SIP/IPSec/PPTP ALG.... Sprachcodec: G.711a, G.711ulaw, G.722, G.726, G.729ab

WAN-Verbindung		Sicherheit	
Ethernet-WAN *	✓	Gastzugang	✓
DSL-WAN *	✓	Zugriffkontrollliste	✓
SIM-Karten-Slot *	✗	URL-Filterung	✓
3G/4G USB Modem-Kompatibilität *	✓	Systemereignisprotokoll	✓
WAN-Verbindungstyp	RJ-45	DMZ-Unterstützung	✓
Wireless LAN Funktionen		Netzwerkadressenübersetzung (NAT)	✓
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)	NAT Funktionalität	One-to-One NAT Multi-Net NAT Virtual Server Port Triggering1 NAT-DMZ FTP/H.323/SIP/IPSec/PPTP ALG UPnP
WLAN Datentransferrate (max.) *	2402 Mbit/s		
WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)		
WLAN-Datenübertragungsrate (erstes Band)	574 Mbit/s	Protokolle	
WLAN-Datenübertragungsrate (zweites Band)	2402 Mbit/s	DHCP-Client	✓
Netzwerk		DHCP-Server	✓
		Universal Plug and Play (UPnP)	✓
		Sprachcodec	G.711a, G.711ulaw, G.722, G.726, G.729ab
Ethernet/LAN *	✓	Design	
Schnittstellentyp Ethernet-LAN *	Gigabit Ethernet	Produktfarbe	Schwarz
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s	Wandmontage	✓
Verkabelungstechnologie	10/100/1000Base-T(X)	Anzeigelicht	✓
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	LED-Anzeigen	DSL, LAN, USB, WLAN
Port-Auslösung	✓	Produkttyp *	Tabletop-Router
Ladungsausgleichsystem	✓	Lieferumfang	
Dynamisches DNS (DDNS)	✓	Mitgelieferte Kabel	LAN (RJ-45), Telefon
Richtlinienbasiertes Routing	✓	AC-Netzadapter	✓
Statische Route	✓	Antenne enthalten	✓
Integrierter FTP-Server	✓	Antenne	
VPN Unterstützung	IPSec/PPTP/L2TP/OpenVPN/WireGuard/GRE/SSL	Antennen-Design *	Extern
DSL-Funktionen		Antenne Zunahmeniveau (max)	4,5 dBi
ADSL	✓	Anzahl der Antennen	5
ADSL2	✓	Entfernbare Antennen	✓
ADSL2+	✓	Merkmale	
VDSL2	✓	Speicherkapazität	512 MB

Anschlüsse und Schnittstellen		Merkmale	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4	Interner Speichertyp	DDR4
USB Anschluss *	✓	Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	671034 h
USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ A	2	Energie	
RJ-11 ports Quantität	3	Energiequelle *	AC
Gleichstrom-Anschluss (DC)	✓	Ausgangsspannung	12 V
Management-Funktionen		Ausgangsstrom	3,3 A
Web-basiertes Management	✓	Betriebsbedingungen	
Quality of Service (QoS) Support	✓	Betriebstemperatur	0 - 40 °C
Reset-Knopf	✓	Temperaturbereich bei Lagerung	-40 - 70 °C
MU-MIMO-Technologie	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Sicherheit		Luftfeuchtigkeit bei Lagerung	5 - 90%
Unterstützte Sicherheitsalgorithmen	WPA-Enterprise, WPA-Personal,	Gewicht und Abmessungen	
	WPA2-Enterprise, WPA2-Personal,	Breite	226 mm
	WPA3-Enterprise, WPA3-Personal	Tiefe	131,2 mm
		Höhe	35 mm

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.