







MODEL LIST

MODEL	LENGTH
8063PY-003S	0,25M
8063PY-005S	0,5M
8063PY-010S	1M
8063PY-015S	1,5M
8063PY-020S	2M
8063PY-030S	3M
8063PY-050S	5M
8063PY-075S	7,5M
8063PY-100S	10M
8063PY-150S	15M
8063PY-200S	20M
8063PY-250S	25M
8063PY-300S	30M

NOTE:




Electrical test:
 100% open short & miss wire test.
 Pass Fluke test.
 RoHS Compliant, REACH Compliant.

PACKING DRAW



MATERIAL LIST

No.	PART NAME	DESCRIPTION	GR
⑤	PACKAGE	PYTHON ZIP BAG	Model No.: 8063PY SERIES
④	BRAID	NYLON, COLOR: BLACK	Datum: 23.08.2016
③	CABLE	S/FTP CAT.6 PiMF CABLE, 4X(2X7/0.135 BC+AL) +B(16X5/0.12 AL-MG)+PVC, OD=6.0±0.2mm, COLOR: BLACK	Approve By: KH
②	MOLD HOOD	PVC, LENGTH ON MOULDING, COLOR: BLACK	Check By: GR
①	CONNECTOR	CAT.6 RJ45 PLUG, SHIELD, 3U', COLOR: TRANSPARENT RED	




MODEL LIST

MODEL	LENGTH
8063PY-003W	0,25M
8063PY-005W	0,5M
8063PY-010W	1M
8063PY-015W	1,5M
8063PY-020W	2M
8063PY-030W	3M
8063PY-050W	5M
8063PY-075W	7,5M
8063PY-100W	10M
8063PY-150W	15M
8063PY-200W	20M
8063PY-250W	25M
8063PY-300W	30M

NOTE:




Electrical test:
100% open short & miss wire test.
Pass Fluke test.
RoHS Compliant, REACH Compliant.

PACKING DRAW



MATERIAL LIST

No.	PART NAME	DESCRIPTION	GR
⑤	PACKAGE	PYTHON ZIP BAG	8063PY SERIES
④	BRAID	NYLON, COLOR: WHITE	Datum:
③	CABLE	S/FTP CAT.6 PiMF CABLE, 4X(2X7/0.135 BC+AL) +B(16X5/0.12 AL-MG)+PVC, OD=6.0±0.2mm, COLOR: WHITE	04.08.2017 Approve By:
②	MOLD HOOD	PVC, LENGTH ON MOULDING, COLOR: WHITE	KH
①	CONNECTOR	CAT.6 RJ45 PLUG, SHIELD, 3U',COLOR: TRANSPARENT RED	Check By:
No.	PART NAME	DESCRIPTION	GR




MODEL LIST

MODEL	LENGTH
8063PY-003Y	0,25M
8063PY-005Y	0,5M
8063PY-010Y	1M
8063PY-015Y	1,5M
8063PY-020Y	2M
8063PY-030Y	3M
8063PY-050Y	5M
8063PY-075Y	7,5M
8063PY-100Y	10M
8063PY-150Y	15M
8063PY-200Y	20M
8063PY-250Y	25M
8063PY-300Y	30M




Electrical test:
100% open short & miss wire test.
Pass Fluke test.
RoHS Compliant, REACH Compliant.

PACKING DRAW



MATERIAL LIST

No.	PART NAME	DESCRIPTION	GR
⑤	PACKAGE	PYTHON ZIP BAG	8063PY SERIES
④	BRAID	NYLON, COLOR: YELLOW	Datum:
③	CABLE	S/FTP CAT.6 PiMF CABLE, 4X(2X7/0.135 BC+AL) +B(16X5/0.12 AL-MG)+PVC, OD=6.0±0.2mm, COLOR: YELLOW	23.08.2016 Approve By:
②	MOLD HOOD	PVC, LENGTH ON MOULDING, COLOR:YELLOW	KH
①	CONNECTOR	CAT.6 RJ45 PLUG, SHIELD, 3U',COLOR: TRANSPARENT RED	Check By:
No.	PART NAME	DESCRIPTION	GR



MODEL LIST


MODEL	LENGTH
8070PY-003S	0,25M
8070PY-005S	0,5M
8070PY-010S	1M
8070PY-015S	1,5M
8070PY-020S	2M
8070PY-030S	3M
8070PY-050S	5M
8070PY-075S	7,5M
8070PY-100S	10M
8070PY-150S	15M
8070PY-200S	20M
8070PY-250S	25M
8070PY-300S	30M

NOTE:

Raw cable:
S/FTP Cat.7 **Raw cable**
AWG26/7 stranded 4 pairs cable 600MHz.


Electrical test:
100% open short & miss wire test.
Pass Fluke test.
RoHS Compliant, REACH Compliant.

PACKING DRAW




MATERIAL LIST

	Name	S/FTP CAT.7 RAW CABLE PiMF PATCH CORD	Model No.:
⑤	PACKAGE	PYTHON ZIP BAG	8070PY SERIES
④	BRAID	NYLON, COLOR: BLACK	Datum:
③	CABLE	S/FTP CAT.7 RAW CABLE PiMF CABLE, 4X(2X7/0.16 BC+AL) +B(16X5/0.12 AL-MG)+LSZH, OD=6.0±0.2mm, COLOR: BLACK	23.08.2016
②	MOLD HOOD	PVC, LENGTH ON MOULDING, COLOR: BLACK	Approve By:
①	CONNECTOR	CAT.6A RJ45 PLUG, SHIELD, 3U', COLOR: TRANSPARENT YELLOW	KH
No.	PART NAME	DESCRIPTION	Check By:
			GR



A - A
5 : 1

PIN OUT



P1		P2	
1		1	WHITE
2		2	ORANGE
3		3	WHITE
6		6	GREEN
4		4	BLUE
5		5	WHITE
7		7	WHITE
8		8	BROWN
SHELL		SHELL	


MODEL LIST

MODEL	LENGTH
8070PY-003W	0,25M
8070PY-005W	0,5M
8070PY-010W	1M
8070PY-015W	1,5M
8070PY-020W	2M
8070PY-030W	3M
8070PY-050W	5M
8070PY-075W	7,5M
8070PY-100W	10M
8070PY-150W	15M
8070PY-200W	20M
8070PY-250W	25M
8070PY-300W	30M

NOTE:




Raw cable:
S/FTP Cat.7 AWG26/7 stranded 4 pairs cable 600MHz.
Electrical test:
100% open short & miss wire test.
Pass Fluke test.
RoHS Compliant, REACH Compliant.

PACKING DRAW



MATERIAL LIST

No.	PART NAME	DESCRIPTION	GR
	Name	S/FTP CAT.7 RAW CABLE PiMF PATCH CORD	Model No.:
⑤	PACKAGE	PYTHON ZIP BAG	8070PY SERIES
④	BRAID	NYLON, COLOR: WHITE	Datum:
③	CABLE	S/FTP CAT.7 RAW CABLE PiMF CABLE, 4X(2X7/0.16 BC+AL) +B(16X5/0.12 AL-MG)+LSZH, OD=6.2±0.2mm, COLOR: WHITE	04.08.2017
②	MOLD HOOD	PVC, LENGTH ON MOULDING, COLOR: WHITE	Approve By:
①	CONNECTOR	CAT.6A RJ45 PLUG, SHIELD, 3U', COLOR: TRANSPARENT YELLOW	KH
			Check By:
			GR



MODEL LIST


MODEL	LENGTH
8070PY-003Y	0,25M
8070PY-005Y	0,5M
8070PY-010Y	1M
8070PY-015Y	1,5M
8070PY-020Y	2M
8070PY-030Y	3M
8070PY-050Y	5M
8070PY-075Y	7,5M
8070PY-100Y	10M
8070PY-150Y	15M
8070PY-200Y	20M
8070PY-250Y	25M
8070PY-300Y	30M

NOTE:

Raw cable:
S/FTP Cat.7 **Raw cable**
AWG26/7 stranded 4 pairs cable 600MHz.

Electrical test:
100% open short & miss wire test.
Pass Fluke test.
RoHS Compliant, REACH Compliant.

PACKING DRAW



MATERIAL LIST

No.	PART NAME	DESCRIPTION	GR
	Name	S/FTP CAT.7 RAW CABLE PiMF PATCH CORD	Model No.:
⑤	PACKAGE	PYTHON ZIP BAG	8070PY SERIES
④	BRAID	NYLON, COLOR: YELLOW	Datum:
③	CABLE	S/FTP CAT.7 RAW CABLE PiMF CABLE, 4X(2X7/0.16 BC+AL) +B(16X5/0.12 AL-MG)+LSZH, OD=6.0±0.2mm, COLOR: YELLOW	23.08.2016
②	MOLD HOOD	PVC, LENGTH ON MOULDING, COLOR:YELLOW	Approve By:
①	CONNECTOR	CAT.6A RJ45 PLUG, SHIELD, 3U',COLOR: TRANSPARENT YELLOW	KH
			Check By:
			GR