

CLUB3D USB Gen1 Type-C, 6-in-1 Hub with HDMI 8K30Hz, 2xUSB Type-A, RJ45 and 2xUSB Type-C, Data and PD charging 100 watt

Marke : CLUB3D

Artikel-Code: CSV-1596

Produktname : USB Gen1 Type-C, 6-in-1 Hub with HDMI 8K30Hz, 2xUSB Type-A, RJ45 and 2xUSB Type-C, Data and PD charging 100 watt

CLUB3D USB Gen1 Type-C, 6-in-1 Hub with HDMI 8K30Hz, 2xUSB Type-A, RJ45 and 2xUSB Type-C, Data and PD charging 100 watt. Hostschnittstelle: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB-Stromversorgung bis zu: 100 W, HDCP-Version: 1.4/2.3. Ethernet LAN Datentransferraten: 100,1000 Mbit/s. Produktfarbe: Schwarz, HD-Typ: 8K Ultra HD, Maximale Bildwiederholrate: 120 Hz. Ausgangsspannung: 5 V, Ausgangsstrom: 1,5 A, Stromverbrauch (max.): 7,5 W. Breite: 126 mm, Tiefe: 32 mm, Höhe: 35 mm



CSV-1596



CSV-1596

Anschlüsse und Schnittstellen		Energie	
Hostschnittstelle *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Ausgangsstrom	1,5 A
USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ A *	2	Stromverbrauch (max.)	7,5 W
USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ C	2	Kabelloses Aufladen	✗
USB Power Delivery	✓	Software	
USB-Stromversorgung Revision	3.0	Unterstützt Windows-Betriebssysteme	✓
USB-Stromversorgung bis zu	100 W	Unterstützt Mac-Betriebssysteme	✓
Anzahl HDMI-Anschlüsse *	1	Gewicht und Abmessungen	
Gleichstrom-Anschluss (DC)	✗	Breite	126 mm
HDCP	✓	Tiefe	32 mm
HDCP-Version	1.4/2.3	Höhe	35 mm
USB-Typ-C DisplayPort-Wechselmodus	✓	Gewicht	89 g
Netzwerk		Verpackungsdaten	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	1	Menge pro Packung	1 Stück(e)
Ethernet LAN Datentransferraten	100,1000 Mbit/s	Verpackungsbreite	70 mm
Leistungen		Verpackungstiefe	35 mm
Integrierter Kartenleser *	✗	Verpackungshöhe	320 mm
HD-Typ	8K Ultra HD	Paketgewicht	136 g
Anzahl der Display unterstützt	1	Zusammensetzung der Verpackung	
Maximale Bildwiederholrate	120 Hz	Gewicht der Plastikverpackung	5 g
Produktfarbe *	Schwarz	Gewicht der Papier-/Kartonverpackung	42 g
High Dynamic Range Video (HDR) Unterstützung	✓	Gesamtgewicht der Kunststoffverpackung	0 g
Hub-Schnittstellen	HDMI, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Gesamtgewicht der Papier-/Kartonverpackung	0 g

Leistungen		Logistikdaten	
Plug & Play	✓	Warentarifnummer (HS)	8473 3020
Zertifizierung	ROHS, FCC, CE EMI	Sonstige Funktionen	
Energie		Kabellänge	0,3 m
Ausgangsspannung	5 V	Kabeltyp	Round cable



8719214472344



0841615102594



841615102594

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.