

TP-Link 5-Port Desktop Switch (10/100/1000Mbit/s)

Marke : TP-Link

Artikel-Code: LS105G V1

Produktname : 5-Port Desktop Switch (10/100/1000Mbit/s)

- 5 x 10/100/1000Mbit/s Auto-Negotiation RJ45 ports unterstützt Auto-MDI/MDIX
 - Green-Ethernet-Technologie senkt den Energieverbrauch nach Nutzung
 - IEEE 802.3x für zuverlässige Datenstromkontrolle
 - Metallgehäuse für eine einfache Tisch- oder Wandmontage
 - Unterstützt 802.1p/DSCP QoS Funktion
 - Plug and Play, keine Konfiguration nötig
- 5 x 10/100/1000Mbit/s, IEEE 802.3i/802.3u/ 802.3ab/802.3x, IEEE 802.1p, 7.4 Mpps, MAC-Adresstabelle 2K

TP-Link 5-Port Desktop Switch (10/100/1000Mbit/s). Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 5. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 10 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Netzstecker: DC-Anschluss. Wandmontage



Management-Funktionen		Energie	
Switch-Typ *	Unmanaged	Energiequelle *	Gleichstrom
Quality of Service (QoS) Support	✓	Netzteil enthalten *	✓
Anschlüsse und Schnittstellen		Eingangsstrom	0.6 A
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	5	Eingangsspannung	5 V
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Stromverbrauch (max.)	2,776 W
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	5	Power over Ethernet (PoE)	
Netzstecker	DC-Anschluss	Power over Ethernet (PoE) *	✗
Netzwerk		Betriebsbedingungen	
Netzstandard *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Betriebstemperatur	0 - 40 °C
10G-Unterstützung *	✗	Temperaturbereich bei Lagerung	-40 - 70 °C
Auto MDI/MDI-X	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Auto-Negotiation-Funktion	✓	Luftfeuchtigkeit bei Lagerung	5 - 90%
Datenübertragung		Wärmeableitung	9,466 BTU/h
Routing-/Switching-Kapazität *	10 Gbit/s	Gewicht und Abmessungen	
Transferrate	7,4 Mpps	Breite	99,8 mm
MAC-Adressentabelle *	2000 Eintragungen	Tiefe	98 mm
Jumbo Frames Unterstützung	✓	Höhe	25 mm
Jumbo-Frames	16000	Lieferumfang	
Datenpaket-Pufferspeicher	1 MB	Schnellstartübersicht	✓
Design		Verpackungsdaten	
Rack-Einbau *	✗	Verpackungsbreite	125 mm
Produktfarbe	Blau	Verpackungstiefe	128 mm
Gehäusematerial	Metall	Verpackungshöhe	92 mm
		Paketgewicht	290 g
		Zertifikate	
		Zertifizierung	CE, FCC, RoHS

Design		Logistikdaten	
LED-Anzeigen	Aktivität, LAN, Leistung	Warentarifnummer (HS)	85176990
Wandmontage	✓		



6935364085445




6935364085483



0845973085445



845973085445



1210002616225



1210002616218

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.