

TP-Link FESTA FS308GP Netzwerk-Switch Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Weiß

Marke : TP-Link

Artikel-Code: FESTA FS308GP

Produktname : FESTA FS308GP

TP-Link FESTA FS308GP. Switch-Typ: Managed. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8, Anzahl installierten SFP Module: 2. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 16 Gbit/s. Netzstandard: IEEE 802.1ab, IEEE 802.3af, IEEE 802.3at. DC input Spannung: 53.5 V. Power over Ethernet (PoE). Rack-Einbau



Management-Funktionen		Design	
Switch-Typ *	Managed	Stapelbar *	✗
Anschlüsse und Schnittstellen		Produktfarbe	Weiß
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Reset-Knopf	✓
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Leistungen	
Anzahl installierten SFP Module *	2	Upgradefähige Firmware	✓
Netzwerk		Ventilatorlos	✓
Netzstandard *	IEEE 802.1ab, IEEE 802.3af, IEEE 802.3at	Energie	
10G-Unterstützung *	✗	Energiequelle *	Gleichstrom
Unterstützung Datenflusssteuerung	✓	DC input Spannung	53.5 V
Link Aggregation	✓	Eingangsstrom	1.31 A
Broadcast-Sturmkontrolle	✓	Power over Ethernet (PoE)	
Ratenbeschränkung	✓	Power over Ethernet (PoE) *	✓
Spannbaum-Protokoll	✓	Anzahl Power over Ethernet plus (PoE+) Anschlüsse	4
VLAN-Unterstützung	✓	Power over Ethernet (PoE) Leistung pro Anschluss	30 W
Datenübertragung		Gesamtleistung Power over Ethernet (PoE)	62 W
Routing-/Switching-Kapazität *	16 Gbit/s	Betriebsbedingungen	
Transferrate	11,9 Mpps	Betriebstemperatur	0 - 40 °C
MAC-Adressentabelle *	8000 Eintragungen	Temperaturbereich bei Lagerung	-40 - 70 °C
Jumbo Frames Unterstützung	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Jumbo-Frames	9	Luftfeuchtigkeit bei Lagerung	5 - 90%
Datenpaket-Pufferspeicher	4,1 MB	Gewicht und Abmessungen	
Sicherheit		Breite	209 mm
DHCP-Funktionen	DHCP relay, DHCP server	Tiefe	126 mm
		Höhe	26 mm

Sicherheit		Zertifikate	
IGMP-Snooping	✓	Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS
Protokolle			
IPv4 & IPv6-Funktionen	IPv4/IPv6 access-control list (ACL)		
Design			
Rack-Einbau *	✓		



8885020621440

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.