

CLUB3D USB Gen2 Type-C to Dual DisplayPort 4k60Hz 7-in-1 HUB

Marke : CLUB3D

Artikel-Code: CSV-1598

Produktname : USB Gen2 Type-C to Dual DisplayPort 4k60Hz 7-in-1 HUB

CLUB3D USB Gen2 Type-C to Dual DisplayPort 4k60Hz 7-in-1 HUB. Hostschnittstelle: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, USB-Stromversorgung bis zu: 100 W, HDCP-Version: 1.4/2.2. Ethernet LAN Datentransferraten: 10,100,1000 Mbit/s. Produktfarbe: Schwarz, HD-Typ: 4K Ultra HD, Maximale Bildwiederholrate: 60 Hz. Ausgangsspannung: 5 V, Ausgangsstrom: 1,5 A, Stromverbrauch (max.): 7,5 W. Breite: 105 mm, Tiefe: 59 mm, Höhe: 14 mm



CSV-1598



CSV-1598

Anschlüsse und Schnittstellen		Energie	
Hostschnittstelle *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Ausgangsspannung	5 V
USB 3.2 Gen 2 (3.1 Gen 2) Anzahl der Anschlüsse vom Typ A	2	Ausgangsstrom	1,5 A
USB 3.2 Gen 2 (3.1 Gen 2) Anzahl der Anschlüsse vom Typ C	2	Stromverbrauch (max.)	7,5 W
USB Power Delivery	✓	Kabelloses Aufladen	✗
USB-Stromversorgung Revision	3.0	Software	
USB-Stromversorgung bis zu	100 W	Unterstützt Windows-Betriebssysteme	✓
Anzahl DisplayPort Anschlüsse	2	Unterstützt Mac-Betriebssysteme	✓
Gleichstrom-Anschluss (DC)	✗	Gewicht und Abmessungen	
HDCP	✓	Breite	105 mm
HDCP-Version	1.4/2.2	Tiefe	59 mm
USB-Typ-C DisplayPort-Wechselmodus	✓	Höhe	14 mm
		Gewicht	102 g
Netzwerk		Verpackungsdaten	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	1	Menge pro Packung	1 Stück(e)
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s	Verpackungsbreite	80 mm
		Verpackungstiefe	32 mm
		Verpackungshöhe	250 mm
		Paketgewicht	156 g
Leistungen		Zusammensetzung der Verpackung	
Integrierter Kartenleser *	✗	Gewicht der Plastikverpackung	0 g
HD-Typ	4K Ultra HD	Gewicht der Papier-/Kartonverpackung	54 g
Anzahl der Display unterstützt	2	Gesamtgewicht der Kunststoffverpackung	0 g
Maximale Bildwiederholrate	60 Hz	Gesamtgewicht der Papier-/Kartonverpackung	0 g
Produktfarbe *	Schwarz		
High Dynamic Range Video (HDR) Unterstützung	✓		
Hub-Schnittstellen	DisplayPort, RJ-45, USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C		

Leistungen		Logistikdaten	
Plug & Play	✓	Warentarifnummer (HS)	8473 3020
Zertifizierung	ROHS, FCC, CE EMI	Sonstige Funktionen	
		Kabellänge	0,17 m
		Kabeltyp	Round cable



8719214472528



0841615102761



841615102761

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.