

ZYXEL

Zyxel GS1100-10HP v2 Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : Zyxel

Artikel-Code: GS1100-10HP-EU0102F

Produktname : GS1100-10HP v2



Zyxel GS1100-10HP v2. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 20 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE.... DC input Spannung: 54 V. Netzstecker: DC-Anschluss. Power over Ethernet (PoE). Wandmontage



Management-Funktionen		Power over Ethernet (PoE)	
Switch-Typ *	Unmanaged	Power over Ethernet (PoE) *	✓
Anschlüsse und Schnittstellen		Anzahl Power over Ethernet (PoE) Anschlüsse	8
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Gesamtleistung Power over Ethernet (PoE)	130 W
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Betriebsbedingungen	
Menge SFP-Modul-Steckplätze	2	Betriebstemperatur	0 - 50 °C
Netzstecker	DC-Anschluss	Temperaturbereich bei Lagerung	-40 - 70 °C
Netzwerk		Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Luftfeuchtigkeit bei Lagerung	10 - 95%
10G-Unterstützung *	✗	Wärmeableitung	89 BTU/h
Auto MDI/MDI-X	✓	Gewicht und Abmessungen	
Ethernet LAN Datentransferraten	100,1000 Mbit/s	Breite	250 mm
Datenübertragung		Tiefe	104 mm
Routing-/Switching-Kapazität *	20 Gbit/s	Höhe	27 mm
Transferrate	14,88 Mpps	Gewicht	730 g
MAC-Adressentabelle *	8000 Eintragungen	Verpackungsdaten	
Jumbo Frames Unterstützung	✓	Verpackungsbreite	228 mm
Jumbo-Frames	9000	Verpackungstiefe	304 mm
Datenpaket-Pufferspeicher	0,256 MB	Verpackungshöhe	67 mm
Design		Paketgewicht	1,97 kg
Produktfarbe	Schwarz	Nachhaltigkeit	
LED-Anzeigen	✓	Nachhaltigkeitskonformität	✓
Wandmontage	✓	Zertifikate	
Anzahl Lüfter	0 Lüfter	Konformitätsbescheinigungen	RoHS

Leistungen		Logistikdaten	
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	1000070 h	Ursprungsland	China
Energie	AC/DC ✓	Breite des Versandkartons	323 mm
		Länge des Versandkartons	558 mm
		Höhe des Versandkartons	275 mm
		Warentarifnummer (HS)	85176990
		Gewicht Versandkarton	13,7 kg
		Anzahl Produkte pro Versandkarton	8 Stück(e)
AC Eingangsspannung	100 - 240 V		
AC Eingangsfrequenz	50 - 60 Hz		
DC input Spannung	54 V		
Stromverbrauch (max.)	156,1 W		



4718937621187

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.