



TP-Link Archer AX18 WLAN-Router Gigabit Ethernet Dual-Band (2,4 GHz/5 GHz) Schwarz

Marke : TP-Link

Produktfamilie: Archer

Artikel-Code: ARCHER AX18

Produktname : Archer AX18

TP-Link Archer AX18. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 6 (802.11ax), WLAN Datentransferrate (max.): 1500 Mbit/s. Schnittstellentyp Ethernet-LAN: Gigabit Ethernet, Ethernet LAN Datentransferraten: 10,100,1000 Mbit/s. Unterstützte Sicherheitsalgorithmen: WPA2-Enterprise, WPA2-PSK, WPA2-Personal, WPA3, WPA3-PSK, Firewall: SPI Firewall. Produkttyp: Tabletop-Router, Produktfarbe: Schwarz, LED-Anzeigen: LAN, Leistung, WAN. Antennen-Design: Extern



WAN-Verbindung		Sicherheit	
Ethernet-WAN *	✓	Unterstützte Sicherheitsalgorithmen	WPA2-Enterprise, WPA2-PSK, WPA2-Personal, WPA3, WPA3-PSK
DSL-WAN *	✗	Firewall	✓
SIM-Karten-Slot *	✗	Firewall	SPI Firewall
3G/4G USB Modem-Kompatibilität *	✗	Gastzugang	✓
Wireless LAN Funktionen		Kontrolle durch Eltern	✓
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)	URL-Filterung	✓
Top WLAN-Standard *	Wi-Fi 6 (802.11ax)	Systemereignisprotokoll	✓
WLAN Datentransferrate (max.) *	1500 Mbit/s	DMZ-Unterstützung	✓
WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Protokolle	
WLAN-Datenübertragungsrate (erstes Band)	300 Mbit/s	DHCP-Client	✓
WLAN-Datenübertragungsrate (zweites Band)	1201 Mbit/s	DHCP-Server	✓
		Universal Plug and Play (UPnP)	✓
Netzwerk		Design	
Ethernet/LAN *	✓	Produktfarbe	Schwarz
Schnittstellentyp Ethernet-LAN *	Gigabit Ethernet	LED-Anzeigen	LAN, Leistung, WAN
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s	Produkttyp *	Tabletop-Router
Portweiterleitung	✓	Antenne	
Port-Auslösung	✓	Antennen-Design *	Extern
Dynamisches DNS (DDNS)	✓	Anzahl der Antennen	4
Anzahl der Gastnetzwerke (2,4 GHz)	1	Energie	
Anzahl der Gastnetzwerke (5 GHz)	1	Energiequelle *	Gleichstrom
Integrierter FTP-Server	✓	Ausgangsspannung	12 V
		Ausgangsstrom	1 A
Anschlüsse und Schnittstellen		Betriebsbedingungen	

Anschlüsse und Schnittstellen		Betriebsbedingungen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4	Betriebstemperatur	0 - 40 °C
USB Anschluss *	✗	Temperaturbereich bei Lagerung	-40 - 60 °C
Gleichstrom-Anschluss (DC)	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Management-Funktionen		Luftfeuchtigkeit bei Lagerung	5 - 90%
Quality of Service (QoS) Support	✓	Gewicht und Abmessungen	
Reset-Knopf	✓	Breite	215 mm
WPS Sicherheit per Tastendruck	✓	Tiefe	117 mm
		Höhe	32 mm
		Verpackungsdaten	
		Verpackungsart	Box



4895252505009



4895252504996

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.