



APC BVX700LI Unterbrechungsfreie Stromversorgung (USV) Line-Interaktiv 0,7 kVA 360 W 4 AC-Ausgänge

Marke : APC

Artikel-Code: BVX700LI

Produktname : BVX700LI


700VA, 230V, AVR, 4x IEC-Buchsen, Schwarz

APC BVX700LI. USV-Topologie: Line-Interaktiv, Ausgangskapazität: 0,7 kVA, Ausgangsleistung: 360 W. AC-Steckertypen: C13-Koppler, Stecker: C14-Koppler, Anzahl der AC-Ausgänge: 4 AC-Ausgänge. Akku-/Batterietechnologie: Plombierte Bleisäure (VRLA), Batteriekapazität: 7 Ah, Akku-/Batteriespannung: 12 V. Formfaktor: Kompakt, Produktfarbe: Schwarz, Internationale Schutzart (IP-Code): IP20. Zertifizierung: CB, CE, EN/IEC 62040-1, EN/IEC 62040-2



Merkmale		Akku/Batterie	
USV-Topologie *	Line-Interaktiv	Akku-/Batteriespannung	12 V
Ausgangskapazität *	0,7 kVA	Batterielebensdauer (max.)	2 Jahr(e)
Ausgangsleistung *	360 W	Akkuladezeit	8 h
Wellenform *	Sine	Kaltstart	✓
Eingangs-Betriebsspannung (min) *	170 V	Design	
Eingangs-Betriebsspannung (max) *	280 V	Formfaktor *	Kompakt
Eingangsfrequenz *	50/60 Hz	Produktfarbe *	Schwarz
Ausgangs-Betriebsspannung (min)	230 V	LED-Anzeigen	✓
Ausgangs-Betriebsspannung (max)	230 V	Internationale Schutzart (IP-Code)	IP20
Output Frequenz	50/60 Hz	Betriebsbedingungen	
Regulierung der Ausgangsfrequenz	0.5 Hz	Betriebstemperatur	0 - 40 °C
Regulierung der Ausgangsspannung	10%	Temperaturbereich bei Lagerung	-15 - 40 °C
Automatische Spannungsregulierung	✓	Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Anstieg der Energiemenge	273 J	Höhe bei Betrieb	0 - 3000 m
Reaktionszeit	6 ms	Höhe bei Lagerung	0 - 3000 m
Eingangs-Leistungsfaktor	0,51	Zertifikate	
Geräuschpegel	40 dB	Zertifizierung	CB, CE, EN/IEC 62040-1, EN/IEC 62040-2
Druckanstiegsschutz	✓	Lieferumfang	
Akustische Signale	✓	Mitgelieferte Kabel	Eingangskabel
Akustische Alarm-Modi	Alarm bei Batteriebetrieb, Batterieaustausch, Warnung bei geringer Batterie, Überlastungsalarm	Management-Karte enthalten	✗
		Betriebsanleitung	✓
Anschlüsse und Schnittstellen		Gewicht und Abmessungen	
AC-Steckertypen	C13-Koppler	Breite	31 mm
Stecker	C14-Koppler	Tiefe	138 mm
Anzahl der AC-Ausgänge	4 AC-Ausgänge	Höhe	98 mm
SmartSlot	✗		

Anschlüsse und Schnittstellen		Gewicht und Abmessungen	
SmartConnect-Anschluss	✗	Gewicht	4,5 kg
Akku/Batterie		Verpackungsdaten	
Akku-/Batterietechnologie	Plombierte Bleisäure (VRLA)	Verpackungsbreite	222 mm
Batteriekapazität	7 Ah	Verpackungstiefe	346 mm
		Verpackungshöhe	142 mm
		Paketgewicht	4,5 kg
		Logistikdaten	
		Warentarifnummer (HS)	85078000



0731304404484



731304404484

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.