



LevelOne USB Print Server (1-Port)

Marke : LevelOne

Artikel-Code: FPS-1032

Produktname : USB Print Server (1-Port)

10/100Mbps, RJ-45, USB 2.0, DHCP, 5V, 2A, 58g, IEEE 802.3/u

LevelOne USB Print Server (1-Port). Produktfarbe: Schwarz, Grün, LED-Anzeigen: Aktivität, Link, Leistung, Status, Ursprungsland: Taiwan. Network Connection Typ: Ethernet-LAN, Netzstandard: IEEE 802.3, IEEE 802.3u, Ethernet LAN Datentransferraten: 10,100 Mbit/s. Unterstützte Netzwerkprotokolle: TCP/IP, IPX, NetBEUI, AppleTalk, LPR, RAW TCP, SMB over TCP/IP. USB-Stecker: USB Typ-A. Unterstützt Windows-Betriebssysteme: Windows 2000, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home..., Unterstützt Mac-Betriebssysteme: Mac OS 8.1, Mac OS 8.5, Mac OS 8.6, Mac OS 9.0, Mac OS 9.1, Mac OS 9.2, Unterstützung anderer Betriebssysteme: Novell NetWare 3.x, Novell NetWare 4.x, Novell NetWare 5.x, Novell NetWare 6.x



Merkmale		Software	
Eingebaut *	✗	Unterstützt Mac-Betriebssysteme	Mac OS 8.1, Mac OS 8.5, Mac OS 8.6, Mac OS 9.0, Mac OS 9.1, Mac OS 9.2
Produktfarbe	Schwarz, Grün		
LED-Anzeigen	Aktivität, Link, Leistung, Status	Unterstützte Linux-Betriebssysteme	✓
IPP Unterstützung	✓	Unterstützung anderer Betriebssysteme	Novell NetWare 3.x, Novell NetWare 4.x, Novell NetWare 5.x, Novell NetWare 6.x
DHCP-Client	✓		
Ursprungsland	Taiwan		
Netzwerk		Zertifikate	
Network Connection Typ *	Ethernet-LAN	Zertifizierung	CE, FCC Class B
Netzstandard *	IEEE 802.3, IEEE 802.3u	Gewicht und Abmessungen	
Ethernet LAN Datentransferraten	10,100 Mbit/s	Breite	64,8 mm
Protokolle		Tiefe	73,2 mm
Unterstützte Netzwerkprotokolle *	TCP/IP, IPX, NetBEUI, AppleTalk, LPR, RAW TCP, SMB over TCP/IP	Höhe	24,9 mm
Web-basiertes Management	✓	Gewicht	520 g
Anschlüsse und Schnittstellen		Verpackungsdaten	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	1	Verpackungsbreite	152 mm
Anzahl USB 2.0 Anschlüsse *	1	Verpackungstiefe	219 mm
Gleichstrom-Anschluss (DC)	✓	Verpackungshöhe	66 mm
USB-Stecker	USB Typ-A	Paketgewicht	560 g
Betriebsbedingungen			
		Relative Luftfeuchtigkeit in Betrieb	0 - 50%
		Temperaturbereich bei Lagerung	-5 - 65 °C
		Luftfeuchtigkeit bei Lagerung	0 - 70%
		Höhe bei Betrieb	0 - 80 m

Software

Unterstützt Windows-
Betriebssysteme

Windows 2000, Windows 7
Enterprise, Windows 7 Enterprise
x64, Windows 7 Home Basic,
Windows 7 Home Basic x64,
Windows 7 Home Premium,
Windows 7 Home Premium x64,
Windows 7 Professional, Windows 7
Professional x64, Windows 7
Starter, Windows 7 Starter x64,
Windows 7 Ultimate, Windows 7
Ultimate x64, Windows ME,
Windows NT, Windows Vista
Business, Windows Vista Business
x64, Windows Vista Enterprise,
Windows Vista Enterprise x64,
Windows Vista Home Basic,
Windows Vista Home Basic x64,
Windows Vista Home Premium,
Windows Vista Home Premium x64,
Windows Vista Ultimate, Windows
Vista Ultimate x64, Windows XP
Home, Windows XP Home x64,
Windows XP Professional, Windows
XP Professional x64



4015867142233



4014619051120



0163120579167



163120579167



0878742004453



878742004453



4052305325940

Catalog Object Cloud



Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web) pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.