



TP-Link TL-SF1024D Unmanaged Fast Ethernet (10/100) Grau

Marke : TP-Link

Artikel-Code: TL-SF1024D(UN)

Produktname : TL-SF1024D



TP-Link TL-SF1024D. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Fast Ethernet (10/100), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 24. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 4,8 Gbit/s. Netzstandard: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Netzstecker: AC-Eingangsbuchse. Rack-Einbau



Management-Funktionen		Energie	
Switch-Typ *	Unmanaged	Energiequelle *	AC
Anschlüsse und Schnittstellen		Netzteil enthalten *	✓
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	24	AC Eingangsspannung	100 - 240 V
Basic Switching RJ-45 Ethernet Ports-Typ *	Fast Ethernet (10/100)	AC Eingangsfrequenz	50/60 Hz
Fast Ethernet (Kupfer)-Anschlüsse	24	Stromverbrauch (Standardbetrieb)	3,53 W
Netzstecker	AC-Eingangsbuchse	Power over Ethernet (PoE)	
Netzwerk		Power over Ethernet (PoE) *	✗
Netzstandard *	IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Betriebsbedingungen	
10G-Unterstützung *	✗	Betriebstemperatur	0 - 40 °C
Kupfer Ethernet Verkabelungstechnologie	10GBASE-T, 100BASE-TX	Temperaturbereich bei Lagerung	-40 - 70 °C
unterstützte Kabeltypen	Cat3, Cat5e, Cat4, Cat5	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Auto MDI/MDI-X	✓	Luftfeuchtigkeit bei Lagerung	5 - 90%
Ethernet LAN Datentransferraten	10,100 Mbit/s	Wärmeableitung	10,88 BTU/h
Auto-Negotiation-Funktion	✓	Gewicht und Abmessungen	
Datenübertragung		Breite	294 mm
Routing-/Switching-Kapazität *	4,8 Gbit/s	Tiefe	180 mm
Durchgang	3,57 Mpps	Höhe	44 mm
Transferrate	3,57 Mpps	Lieferumfang	
MAC-Adressentabelle *	8000 Eintragungen	Mitgelieferte Kabel	AC
Store-and-Forward	✓	Benutzerhandbuch	✓
Datenpaket-Pufferspeicher	2 MB	Rackmontageset	✓
Protokolle		Verpackungsdaten	
Unterstützte Netzwerkprotokolle	CSMA/CD, TCP/IP	Verpackungsart	Box
Design		Verpackungsbreite	250 mm
Rack-Einbau *	✓	Verpackungstiefe	400 mm
Stapelbar *	✗	Verpackungshöhe	80 mm
Produktfarbe	Grau	Paketgewicht	2 kg
Gehäusematerial	Metall	Nachhaltigkeit	
		Nachhaltigkeitskonformität	✓

Design		Zertifikate	
LED-Anzeigen	✓	Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS
Leistungen			
Ventilatorlos	✓	Logistikdaten	
		Warentarifnummer (HS)	85176990

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.