



APC Smart-UPS Ultra Li-Ion SRTL3KRM1UINC, 3 kW, 1U Rack/Tower/Wand, 3x C13 & 2x C19, NMC

Marke : APC

Artikel-Code: SRTL3KRM1UINC

Produktname : APC Smart-UPS Ultra Li-Ion
SRTL3KRM1UINC, 3 kW, 1U Rack/Tower/Wand, 3x C13 & 2x
C19, NMC



APC Smart-UPS Ultra Li-Ion SRTL3KRM1UINC, 3 kW, 1U Rack/Tower/Wand, 3x C13 & 2x C19, NMC
APC Smart-UPS Ultra Li-Ion SRTL3KRM1UINC, 3 kW, 1U Rack/Tower/Wand, 3x C13 & 2x C19, NMC. USV-
Topologie: Doppelwandler (Online), Ausgangskapazität: 3 kVA, Ausgangsleistung: 3000 W. AC-
Steckertypen: C13-Koppler, C19-Koppler, Stecker: Typ F, Anzahl der AC-Ausgänge: 5 AC-Ausgänge. Akku-
/Batterietechnologie: Lithium-Ion (Li-Ion), Akku-/Batteriespannung: 50 V, Akkuladezeit: 1,5 h. Formfaktor:
Rackmount, Produktfarbe: Grau, Silber, Rack-Kapazität: 1U. Konformitätsbescheinigungen: RoHS,
Zertifizierung: CE UKCA CE Mark UKCA EN/IEC 62040-1




Merkmale		Design	
USV-Topologie *	Doppelwandler (Online)	Display-Typ	LCD
Ausgangskapazität *	3 kVA	Internationale Schutzart (IP-Code)	IP20
Ausgangsleistung *	3000 W	Betriebsbedingungen	
Wellenform *	Sine	Betriebstemperatur	0 - 40 °C
Eingangs-Betriebsspannung (min) *	160 V	Temperaturbereich bei Lagerung	-15 - 45 °C
Eingangs-Betriebsspannung (max) *	275 V	Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Eingangsfrequenz *	50/60 Hz	Luftfeuchtigkeit bei Lagerung	0 - 95%
Output Frequenz	50/60 Hz	Höhe bei Betrieb	0 - 3048 m
Geräuschpegel	55 dB	Höhe bei Lagerung	0 - 15240 m
Akustische Signale	✓	Zertifikate	
Anschlüsse und Schnittstellen		Konformitätsbescheinigungen	RoHS
AC-Steckertypen	C13-Koppler, C19-Koppler	Zertifizierung	CE UKCA CE Mark UKCA EN/IEC 62040-1
Stecker	Typ F	Lieferumfang	
Anzahl der AC-Ausgänge	5 AC-Ausgänge	Management-Karte enthalten	✓
USB Anschluss	✓	Nachhaltigkeit	
Anzahl USB 2.0 Anschlüsse	1	Nachhaltigkeitskonformität	✓
USB-Port-Typ	USB Typ-A	Nachhaltigkeitszertifikate	Green Premium
SmartSlot	✓	Gewicht und Abmessungen	
SmartConnect-Anschluss	✗	Breite	432 mm
Akku/Batterie		Tiefe	560 mm
Akku-/Batterietechnologie	Lithium-Ion (Li-Ion)	Höhe	43 mm
Akku-/Batteriespannung	50 V	Gewicht	15,9 kg
Akkuladezeit	1,5 h	Verpackungsdaten	
Design		Verpackungsbreite	564 mm
Formfaktor *	Rackmount	Verpackungstiefe	764 mm
Rack-Kapazität	1U		
Kabellänge	2,44 m		

Design		Verpackungsdaten	
Produktfarbe *	Grau, Silber	Verpackungshöhe	278 mm
Steuerung	Tasten, Berührung	Paketgewicht	24,2 kg



0731304573562



731304573562

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.