



TP-Link TL-SF1008P Unmanaged Fast Ethernet (10/100) Power over Ethernet (PoE) Olive

Marke : TP-Link

Artikel-Code: TL-SF1008P(UN)

Produktname : TL-SF1008P



TP-Link TL-SF1008P. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Fast Ethernet (10/100), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. Vollduplex. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 1,6 Gbit/s. Netzstandard: IEEE 802.1Qbb. DC input Spannung: 53.5 V. Netzstecker: DC-Anschluss. Power over Ethernet (PoE)



Management-Funktionen		Design	
Switch-Typ *	Unmanaged	Produktfarbe	Olive
Anschlüsse und Schnittstellen		LED-Anzeigen	✓
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Anzahl Lüfter	0 Lüfter
Basic Switching RJ-45 Ethernet Ports-Typ *	Fast Ethernet (10/100)	Leistungen	
Netzstecker	DC-Anschluss	Expansionmodulesupport	✓
Netzwerk		Eingebauter Prozessor	✓
Netzstandard *	IEEE 802.1Qbb	Prozessorhersteller	Broadcom
10G-Unterstützung *	✗	Speichertyp	DRAM
Vollduplex	✓	Ventilatorlos	✓
Unterstützung Datenflusssteuerung	✓	Energie	
Auto MDI/MDI-X	✓	Energiequelle *	Gleichstrom
Ethernet LAN Datentransferraten	100 Mbit/s	DC input Spannung	53.5 V
Auto-Negotiation-Funktion	✓	Eingangsstrom	1.31 A
Selbstlernen von MAC-Adressen unterstützt	✓	Power over Ethernet (PoE)	
Auto-Änderung von MAC-Adressen unterstützt	✓	Power over Ethernet (PoE) *	✓
Lichtwellenleiter		Anzahl Power over Ethernet (PoE) Anschlüsse	4
Ethernet-Kabel Verkablungstechnologie	40GBASE-SR4	Gesamtleistung Power over Ethernet (PoE)	60,2 W
Datenübertragung		Betriebsbedingungen	
Routing-/Switching-Kapazität *	1,6 Gbit/s	Betriebstemperatur	0 - 40 °C
MAC-Adressentabelle *	2000 Eintragungen	Temperaturbereich bei Lagerung	-40 - 70 °C
Store-and-Forward	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
		Luftfeuchtigkeit bei Lagerung	5 - 90%
		Gewicht und Abmessungen	
		Breite	171 mm

Sicherheit		Gewicht und Abmessungen	
DHCP-Funktionen	DHCPv6 relay	Tiefe	98 mm
Zugriffkontrollliste	✓	Höhe	27 mm
Protokolle		Lieferumfang	
GARP VLAN Registration Protocol (GVRP)	✓	Benutzerhandbuch	✓
Router Protokoll	OSPF	Verpackungsdaten	
IPv4 & IPv6-Funktionen	IPv6 portal	Verpackungsart	Box
Design		Zertifikate	
Rack-Einbau *	✗	Zertifizierung	FCC, CE, RoHS
		Logistikdaten	
		Warentarifnummer (HS)	85176990

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.