

ZYXEL

Zyxel XGS1210-12-ZZ0102F Netzwerk-Switch Managed Gigabit Ethernet (10/100/1000) Grau

Marke : Zyxel

Artikel-Code: XGS1210-12-ZZ0102F


Produktname : XGS1210-12-ZZ0102F

Zyxel XGS1210-12-ZZ0102F. Switch-Typ: Managed. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. Vollduplex. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 66 Gbit/s. Netzstandard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x, IEEE 802.3az. DC input Spannung: 12 V



Management-Funktionen		Sicherheit	
Switch-Typ *	Managed	Loop Protection	✓
Quality of Service (QoS) Support	✓	Multicast-Funktionen	
Web-basiertes Management	✓	Multicast Unterstützung	✓
Anschlüsse und Schnittstellen		Design	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Produktfarbe	Grau
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Reset-Knopf	✓
Anzahl 2.5G Ethernet (Kupfer)-Ports	2	LED-Anzeigen	✓
Menge Modul-Steckplätze SFP+	2	Anzahl Lüfter	0 Lüfter
Netzwerk		Energie	
Netzstandard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x, IEEE 802.3az	Energiequelle *	AC/DC
Vollduplex	✓	Netzteil enthalten *	✓
Unterstützung Datenflusssteuerung	✓	AC Eingangsspannung	100 - 240 V
Link Aggregation	✓	DC input Spannung	12 V
Broadcast-Sturmkontrolle	✓	Eingangsstrom	1.5 A
Auto MDI/MDI-X	✓	Stromverbrauch (max.)	15,61 W
Ethernet LAN Datentransferraten	10,100,1000,2500 Mbit/s	Betriebsbedingungen	
VLAN-Unterstützung	✓	Betriebstemperatur	0 - 40 °C
Datenübertragung		Temperaturbereich bei Lagerung	-40 - 70 °C
Routing-/Switching-Kapazität *	66 Gbit/s	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Transferrate	49 Mpps	Luftfeuchtigkeit bei Lagerung	10 - 90%
MAC-Adressentabelle *	16000 Eintragungen	Gewicht und Abmessungen	
Statische Route	✓	Breite	250 mm
Jumbo Frames Unterstützung	✓	Tiefe	104 mm
		Höhe	24 mm
		Gewicht	768 g

Datenübertragung		Verpackungsdaten	
Jumbo-Frames	12000	Verpackungsbreite	306 mm
Datenpaket-Pufferspeicher	1,5 MB	Verpackungstiefe	225 mm
Sicherheit		Verpackungshöhe	64 mm
DHCP-Funktionen	DHCP client	Paketgewicht	1,22 kg
IGMP-Snooping	✓	Logistikdaten	
		Warentarifnummer (HS)	85176990



4718937633715

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.