

Yealink Yealink-SIP-T73U

Marke : Yealink

Artikel-Code: 1301012

Produktname : Yealink-SIP-T73U

2.8" 320x240, 12 VoIP, Gigabit Ethernet, 2 x RJ9, USB 2.0, PoE 802.3af

Yealink -SIP-T73U. Produkttyp: IP-Telefon, Produktfarbe: Schwarz, Hörertyp: Drahtgebundenes & drahtloses Handgerät. Telefonbuch Kapazität: 1000 Eintragungen. Management-Plattform: Yealink Device Management Platform. Display: LCD, Bildschirmdiagonale: 7,11 cm (2.8"), Display-Auflösung: 320 x 240 Pixel. Sprachcodec: G.711a, G.711u, G.723.1, G.726, G.729, G.729A, G.729B, G.729ab



Design		Netzwerk	
Produkttyp *	IP-Telefon	Ethernet LAN Datentransferraten	10,100,1000 Mbit/s
Hörertyp	Drahtgebundenes & drahtloses Handgerät	Quality of Service (QoS) Support	✓
Produktfarbe *	Schwarz	Unterstützte Sicherheitsalgorithmen	WPA2, WPA3
Beleuchtete Tastatur	✓	Syslog	✓
Montage	Tisch/Bank	Anschlüsse und Schnittstellen	
Telefoneigenschaften		Headset	RJ-9
Anrufbeantworter	✓	Anzahl USB 2.0 Anschlüsse	1
Anklopfen	✓	Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	2
Kurzwahlen	✓	Anzahl RJ9-Anschlüsse	2
Intercom	✓	Gleichstrom-Anschluss (DC)	✓
Anruf halten	✓	Energie	
Anrufumleitung	✓	Power over Ethernet (PoE) *	✓
Telefonkonferenz	✓	Netzteil Eingangsspannung	100 - 240 V
Wahlwiederholung	✓	Netzteil Ausgangsspannung	5 V
Anrufer-Identifikation *	✓	AC-Adapter Ausgangsstrom	2 A
Telefonbuch Kapazität *	1000 Eintragungen	Betriebsbedingungen	
Telefonbuch teilen	✓	Betriebstemperatur	10 - 45 °C
Anzahl der VoIP-Konten *	12	Relative Luftfeuchtigkeit in Betrieb	5 - 95%
Anrufrückkehr	✓	Temperaturbereich bei Lagerung	-10 - 70 °C
MWI (Anzeige vorhandener Nachricht)	✓	Gewicht und Abmessungen	
Anrufliste	✓	Breite	209 mm
Notruf	✓	Tiefe	167,5 mm
Management-Funktionen		Höhe	214,8 mm
Management-Plattform	Yealink Device Management Platform	Verpackungsbreite	231 mm
Bildschirm		Verpackungstiefe	237 mm
Display	LCD	Verpackungshöhe	102 mm
Bildschirmdiagonale	7,11 cm (2.8")	Lieferumfang	
Display-Auflösung	320 x 240 Pixel	Montageset	✓
		Ethernet-Kabel	✓
		Hörer	✓

Audio		Lieferumfang	
Freisprecheinrichtung *	✓	Schnellstartübersicht	✓
Mikrofon Stummschaltung	✓	Anzahl enthaltener Griffe *	1 Stück(e)
Sprachcodec	G.711a, G.711u, G.723.1, G.726, G.729, G.729A, G.729B, G.729ab		
Netzwerk			
Ethernet/LAN *	✓		
Schnittstellentyp Ethernet-LAN	Gigabit Ethernet		



6938818320680

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.