

ZYXEL

Zyxel XS1930-10-ZZ0101F Netzwerk-Switch Managed L3 10G Ethernet (100/1000/10000) Schwarz

Marke : Zyxel

Artikel-Code: XS1930-10-ZZ0101F

Produktname : XS1930-10-ZZ0101F



Zyxel XS1930-10-ZZ0101F. Switch-Typ: Managed, Switch-Ebene: L3. Basic Switching RJ-45 Ethernet Ports-Typ: 10G Ethernet (100/1000/10000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 200 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3af,.... Rack-Einbau



Management-Funktionen		Design	
Switch-Typ *	Managed	Rack-Einbau *	✓
Switch-Ebene	L3	Produktfarbe	Schwarz
Quality of Service (QoS) Support	✓	LED-Anzeigen	✓
Web-basiertes Management	✓	Energie	
Cloud-verwaltet	✓	Netzteil enthalten *	✓
Konfiguration der Standorteinstellungen (CLI)	✓	AC Eingangsspannung	100 - 240 V
MIB Unterstützung	✓	AC Eingangsfrequenz	50 - 60 Hz
Anschlüsse und Schnittstellen		Stromverbrauch (max.)	44,2 W
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Power over Ethernet (PoE)	
Basic Switching RJ-45 Ethernet Ports-Typ *	10G Ethernet (100/1000/10000)	Power over Ethernet (PoE) *	✗
Menge Modul-Steckplätze SFP+	2	Betriebsbedingungen	
Netzwerk		Betriebstemperatur	-20 - 50 °C
Netzstandard *	IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3af, IEEE 802.3an, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt, IEEE 802.3x	Temperaturbereich bei Lagerung	-40 - 70 °C
		Relative Luftfeuchtigkeit in Betrieb	5 - 95%
10G-Unterstützung *	✓	Luftfeuchtigkeit bei Lagerung	5 - 95%
Port-Spiegelung	✓	Wärmeableitung	151,06 BTU/h
Ethernet LAN Datentransferraten	100,1000,2500,5000,10000 Mbit/s	Gewicht und Abmessungen	
VLAN-Unterstützung	✓	Breite	330 mm
Datenübertragung		Tiefe	230 mm
Routing-/Switching-Kapazität *	200 Gbit/s	Höhe	44 mm
MAC-Adressentabelle *	16000 Eintragungen	Gewicht	2,4 kg
		Logistikdaten	
		Warentarifnummer (HS)	85176990

Multicast-Funktionen

Multicast Unterstützung 



4718937605248

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.