

## TP-Link Omada IES210GPP(UN) Netzwerk-Switch Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) DIN rail Grau

**Marke :** TP-Link

**Produktfamilie:** Omada

**Artikel-Code:** IES210GPP(UN)

**Produktname :** IES210GPP(UN)

TP-Link Omada IES210GPP(UN). Switch-Typ: Managed. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 20 Gbit/s. Netzstandard: IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt. DC input Spannung: 12 - 57 V. Power over Ethernet (PoE). Rack-Einbau, Formfaktor: DIN rail



| Management-Funktionen                              |                                          | Datenübertragung                                         |             |
|----------------------------------------------------|------------------------------------------|----------------------------------------------------------|-------------|
| Switch-Typ *                                       | Managed                                  | Store-and-Forward                                        | ✓           |
| Quality of Service (QoS) Support                   | ✓                                        | Jumbo Frames Unterstützung                               | ✓           |
| Web-basiertes Management                           | ✓                                        | Jumbo-Frames                                             | 15000       |
| Cloud-verwaltet                                    | ✓                                        | Datenpaket-Pufferspeicher                                | 4000 MB     |
| Anschlüsse und Schnittstellen                      |                                          | Sicherheit                                               |             |
| Anzahl der basisschaltenden RJ-45 Ethernet Ports * | 8                                        | DHCP-Funktionen                                          | DHCP client |
| Basic Switching RJ-45 Ethernet Ports-Typ *         | Gigabit Ethernet (10/100/1000)           | IGMP-Snooping                                            | ✓           |
| Anzahl Combo-SPF-Anschlüsse                        | 2                                        | Loop Protection                                          | ✓           |
| Netzwerk                                           |                                          | Multicast-Funktionen                                     |             |
| Netzstandard *                                     | IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt | Multicast Unterstützung                                  | ✓           |
| 10G-Unterstützung *                                | ✗                                        | Design                                                   |             |
| Port-Spiegelung                                    | ✓                                        | Rack-Einbau *                                            | ✓           |
| Unterstützung Datenflusssteuerung                  | ✓                                        | Formfaktor                                               | DIN rail    |
| Link Aggregation                                   | ✓                                        | Produktfarbe                                             | Grau        |
| Broadcast-Sturmkontrolle                           | ✓                                        | LED-Anzeigen                                             | ✓           |
| Auto MDI/MDI-X                                     | ✓                                        | Energie                                                  |             |
| Ethernet LAN Datentransferraten                    | 10,100,1000 Mbit/s                       | Energiequelle *                                          | Gleichstrom |
| Auto-Negotiation-Funktion                          | ✓                                        | DC input Spannung                                        | 12 - 57 V   |
| VLAN-Unterstützung                                 | ✓                                        | Power over Ethernet (PoE)                                |             |
| Anzahl der VLANs                                   | 4000                                     | Power over Ethernet (PoE) *                              | ✓           |
| Datenübertragung                                   |                                          | Anzahl Power over Ethernet plus (PoE+) Anschlüsse        | 6           |
| Routing-/Switching-Kapazität *                     | 20 Gbit/s                                | Anzahl der Power over Ethernet 4PPoE- (PoE++) Anschlüsse | 2           |
| Transferrate                                       | 14,88 Mpps                               | Gesamtleistung Power over Ethernet (PoE)                 | 240 W       |
| MAC-Adressentabelle *                              | 8000 Eintragungen                        |                                                          |             |

#### **Gewicht und Abmessungen**

|        |        |
|--------|--------|
| Breite | 155 mm |
| Tiefe  | 120 mm |
| Höhe   | 60 mm  |

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.