



TP-Link ES228GP Netzwerk-Switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : TP-Link

Artikel-Code: ES228GP

Produktname : ES228GP



TP-Link ES228GP. Switch-Typ: Managed, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 26. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 56 Gbit/s. Netzstandard: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.3af, IEEE 802.3at. Power over Ethernet (PoE). Rack-Einbau



Management-Funktionen		Design	
Switch-Typ *	Managed	Rack-Einbau *	✓
Switch-Ebene	L2	Produktfarbe	Schwarz
Quality of Service (QoS) Support	✓	Anzahl Lüfter	2 Lüfter
Web-basiertes Management	✓	Energie	
Anschlüsse und Schnittstellen		Energiequelle *	AC
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	26	AC Eingangsspannung	100 - 240 V
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	AC Eingangsfrequenz	50/60 Hz
Menge SFP-Modul-Steckplätze	2	Eingangsstrom	4 A
Netzwerk		Energieschutzeigenschaften	Überspannungsschutz
Netzstandard *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.3af, IEEE 802.3at	Power over Ethernet (PoE)	
Port-Spiegelung	✓	Power over Ethernet (PoE) *	✓
Unterstützung Datenflusssteuerung	✓	Power-over-Ethernet (PoE)-Typ unterstützt	PoE+
Link Aggregation	✓	Anzahl Power over Ethernet (PoE) Anschlüsse	24
Broadcast-Sturmkontrolle	✓	Power over Ethernet (PoE) Leistung pro Anschluss	30 W
VLAN-Unterstützung	✓	Gesamtleistung Power over Ethernet (PoE)	250 W
Virtuelle LAN-Funktionen	MTU VLAN, Port-based VLAN, Tagged VLAN	Betriebsbedingungen	
Datenübertragung		Betriebstemperatur	-5 - 45 °C
Routing-/Switching-Kapazität *	56 Gbit/s	Temperaturbereich bei Lagerung	-40 - 70 °C
Transferrate	41,67 Mpps	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
MAC-Adressentabelle *	8000 Eintragungen	Luftfeuchtigkeit bei Lagerung	5 - 90%
Store-and-Forward	✓	Gewicht und Abmessungen	
Anzahl Queues	8	Breite	440 mm
Jumbo Frames Unterstützung	✓	Tiefe	180 mm
		Höhe	44 mm


Datenübertragung		Lieferumfang	
Jumbo-Frames	15000	Mitgelieferte Kabel	AC
Datenpaket-Pufferspeicher	4 MB	Betriebsanleitung	✓
Sicherheit		Zertifikate	
DHCP-Funktionen	DHCP client	Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC), RoHS
IGMP-Snooping	✓		
Loop Protection	✓		
Warteschleifenplanungs-Algorithmen	Weighted Round Robin (WRR)		



1210002609760



1210002609777



0840460603638



840460603638

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.