

TP-Link 8-Port 10G Desktop/Rackmount Switch

Marke : TP-Link

Artikel-Code: TL-SX1008

Produktname : 8-Port 10G Desktop/Rackmount Switch

8× 100Mbps/1Gbps/2.5Gbps/5Gbps/10Gbps, 160 Gbps, 119.0 Mpps, 294×180×44 mm, 100-240 VAC, 50/60 Hz, 0.8A

TP-Link 8-Port 10G Desktop/Rackmount Switch. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: 10G Ethernet (100/1000/10000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 32000 Eintragungen, Routing-/Switching-Kapazität: 160 Gbit/s. Netzstandard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3an, IEEE 802.3bz, IEEE 802.3p, IEEE 802.3x. Rack-Einbau, Formfaktor: 1U



Management-Funktionen		Energie	
Switch-Typ *	Unmanaged	AC Eingangsfrequenz	50 - 60 Hz
Anschlüsse und Schnittstellen		Eingangsstrom	0.8 A
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Stromverbrauch (max.)	28,4 W
Basic Switching RJ-45 Ethernet Ports-Typ *	10G Ethernet (100/1000/10000)	Power over Ethernet (PoE)	
Anzahl 10G Ethernet (Kupfer)-Ports	8	Power over Ethernet (PoE) *	✗
Netzwerk		Betriebsbedingungen	
Netzstandard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3an, IEEE 802.3bz, IEEE 802.3p, IEEE 802.3x	Betriebstemperatur	0 - 50 °C
10G-Unterstützung *	✓	Temperaturbereich bei Lagerung	-40 - 70 °C
Auto MDI/MDI-X	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Auto-Negotiation-Funktion	✓	Luftfeuchtigkeit bei Lagerung	5 - 90%
Datenübertragung		Gewicht und Abmessungen	
Routing-/Switching-Kapazität *	160 Gbit/s	Breite	294 mm
Transferrate	119 Mpps	Tiefe	180 mm
MAC-Adressentabelle *	32000 Eintragungen	Höhe	44 mm
Store-and-Forward	✓	Lieferumfang	
Jumbo Frames Unterstützung	✓	Mitgelieferte Kabel	AC
Jumbo-Frames	10000	Schnellstartübersicht	✓
Datenpaket-Pufferspeicher	16 MB	Rackmontageset	✓
Design		Verpackungsdaten	
Rack-Einbau *	✓	Verpackungsart	Box
Formfaktor	1U	Verpackungsbreite	250 mm
Produktfarbe	Schwarz	Verpackungstiefe	400 mm
LED-Anzeigen	✓	Verpackungshöhe	80 mm
		Paketgewicht	2,07 kg
		Zertifikate	
		Zertifizierung	CE, FCC ,RoHS

Design		Logistikdaten	
Anzahl Lüfter	1 Lüfter	Warentarifnummer (HS)	85176990
Energie			
Energiequelle *	AC		
Netzteil enthalten *	✓		
AC Eingangsspannung	100 - 240 V		



6935364030926




6935364030919



0845973088064



845973088064



1210002617239



0840460604192



840460604192



1210002617222

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.