

D-Link DXS-1210-12TC/E Netzwerk-Switch Managed L2 10G Ethernet (100/1000/10000) 1U Schwarz, Silber



Marke : D-Link

Artikel-Code: DXS-1210-12TC/E

Produktname : DXS-1210-12TC/E

240 Gbps, 10x 10G Base-T, 2x SFP+, 2x SFP+/Combo, 91W

D-Link DXS-1210-12TC/E. Switch-Typ: Managed, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: 10G Ethernet (100/1000/10000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 10. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 240 Gbit/s. Netzstandard: IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3u, IEEE 802.3z. Netzstecker: DC-Anschluss. Rack-Einbau, Formfaktor: 1U

Management-Funktionen		Betriebsbedingungen	
Switch-Typ *	Managed	Temperaturbereich bei Lagerung	-40 - 70 °C
Switch-Ebene	L2	Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Quality of Service (QoS) Support	✓	Gewicht und Abmessungen	
Anschlüsse und Schnittstellen		Breite	210 mm
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	10	Tiefe	440 mm
Basic Switching RJ-45 Ethernet Ports-Typ *	10G Ethernet (100/1000/10000)	Höhe	44 mm
Menge Modul-Steckplätze SFP+	2	Gewicht	3,15 kg
Optischer Kabelverbinder	SFP+	Verpackungsdaten	
Netzstecker	DC-Anschluss	Verpackungsbreite	349 mm
Netzwerk		Verpackungstiefe	546 mm
Netzstandard *	IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3u, IEEE 802.3z	Verpackungshöhe	96 mm
10G-Unterstützung *	✓	Paketgewicht	4,48 kg
Auto MDI/MDI-X	✓	Nachhaltigkeit	
Spannbaum-Protokoll	✓	Nachhaltigkeitszertifikate	ENERGY STAR
VLAN-Unterstützung	✓	Technische Details	
Datenübertragung		Versandkartonshöhe	38,3 cm
Routing-/Switching-Kapazität *	240 Gbit/s	Versandkartonsbreite	31,4 cm
Durchgang	178,56 Mpps	Versandkartonslänge	56,2 cm
MAC-Adressentabelle *	16000 Eintragungen	Nettogewicht Versandkarton	13,4 kg
Jumbo Frames Unterstützung	✓	Menge pro Versandkarton	3 Stück(e)
Sicherheit		Palettenbruttogewicht (Luft)	278,2 kg
IGMP-Snooping	✓	Anzahl der Kartons pro Palette (Luft)	18 Stück(e)
Design		Anzahl pro Palette (Luft)	54 Stück(e)
Rack-Einbau *	✓	Palettenlänge (brutto)	110 cm
Formfaktor	1U	Palettenbreite (brutto)	120 cm
Produktfarbe	Schwarz, Silber	Palettenhöhe (Luft)	128,4 cm
LED-Anzeigen	✓	Palettenbruttogewicht (Meer)	451,2 kg
Sicherheit	cUL, CB, CE, CCC, BSMI	Anzahl der Kartons pro Palette (See)	30 Stück(e)
Energie		Anzahl pro Palette (See)	90 Stück(e)
AC Eingangsspannung	100 - 240 V	Palettenhöhe (See)	2,05 m
Stromverbrauch (Standardbetrieb)	90,81 W	Gewicht (innerer) Versandkarton	14,4 kg
		Zertifikate	
		Zertifizierung	CE, FCC, C-Ticket, VCCI, BSMI, CCC
		Logistikdaten	
		Warentarifnummer (HS)	85176990

Power over Ethernet (PoE)

Power over Ethernet (PoE) * ✗

Betriebsbedingungen

Betriebstemperatur -5 - 50 °C



0790069467653



790069467653

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.