



## TP-Link Archer BE450 WLAN-Router Multi-Gigabit Ethernet Dual-Band (2,4 GHz/5 GHz) Weiß

**Marke :** TP-Link

**Produktfamilie:** Archer

**Artikel-Code:** ARCHER BE450

**Produktname :** ARCHER BE450

TP-Link Archer BE450. WAN-Verbindungstyp: RJ-45. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 7 (802.11be), WLAN Datentransferrate (max.): 7200 Mbit/s. Schnittstellentyp Ethernet-LAN: Multi-Gigabit Ethernet, Ethernet LAN Datentransferraten: 1000,2500,10000 Mbit/s, Netzstandard: IEEE 802.1x. Unterstützte Sicherheitsalgorithmen: WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3. Produkttyp: Tabletop-Router, Produktfarbe: Weiß



| WAN-Verbindung                            |                                                                                                             | Management-Funktionen                      |                                                  |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------|--------------------------------------------------|
| Ethernet-WAN *                            | ✓                                                                                                           | Intelligente Netztechnik                   | ✓                                                |
| DSL-WAN *                                 | ✗                                                                                                           | MU-MIMO-Technologie                        | ✓                                                |
| SIM-Karten-Slot *                         | ✗                                                                                                           | <b>Sicherheit</b>                          |                                                  |
| 3G/4G USB Modem-Kompatibilität *          | ✗                                                                                                           | Unterstützte Sicherheitsalgorithmen        | WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3 |
| WAN-Verbindungstyp                        | RJ-45                                                                                                       | Firewall                                   | ✓                                                |
| Wireless LAN Funktionen                   |                                                                                                             | Zustandsorientierte Paketüberprüfung (SPI) | ✓                                                |
| WLAN-Band *                               | Dual-Band (2,4 GHz/5 GHz)                                                                                   | DoS Attacken Prävention                    | ✓                                                |
| Top WLAN-Standard *                       | Wi-Fi 7 (802.11be)                                                                                          | Kontrolle durch Eltern                     | ✓                                                |
| WLAN Datentransferrate (max.) *           | 7200 Mbit/s                                                                                                 | DMZ-Unterstützung                          | ✓                                                |
| WLAN-Standards                            | 802.11a, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be) | Netzwerkadressenübersetzung (NAT)          | ✓                                                |
| WLAN-Datenübertragungsrate (erstes Band)  | 1376 Mbit/s                                                                                                 | <b>Protokolle</b>                          |                                                  |
| WLAN-Datenübertragungsrate (zweites Band) | 5765 Mbit/s                                                                                                 | DHCP-Client                                | ✓                                                |
| Netzwerk                                  |                                                                                                             | DHCP-Server                                | ✓                                                |
| Ethernet/LAN *                            | ✓                                                                                                           | Universal Plug and Play (UPnP)             | ✓                                                |
| Schnittstellentyp Ethernet-LAN *          | Multi-Gigabit Ethernet                                                                                      | <b>Design</b>                              |                                                  |
| Ethernet LAN Datentransferraten           | 1000,2500,10000 Mbit/s                                                                                      | Produktfarbe                               | Weiß                                             |
| Netzstandard                              | IEEE 802.1x                                                                                                 | Ein-/Ausschalter                           | ✓                                                |
| Portweiterleitung                         | ✓                                                                                                           | Produkttyp *                               | Tabletop-Router                                  |
| Port-Auslösung                            | ✓                                                                                                           | <b>Zertifikate</b>                         |                                                  |
| Dynamisches DNS (DDNS)                    | ✓                                                                                                           | Zertifizierung                             | CE, FCC, RoHS                                    |
| Anzahl der Gastnetzwerke (2,4 GHz)        | 1                                                                                                           | <b>Lieferumfang</b>                        |                                                  |
| Anzahl der Gastnetzwerke (5 GHz)          | 1                                                                                                           | Schnellinstallationsanleitung              | ✓                                                |
| Integrierter FTP-Server                   | ✓                                                                                                           |                                            |                                                  |
| VPN-Server                                | OpenVPN, PPTP, L2TP, WireGuard                                                                              |                                            |                                                  |

| Netzwerk                                                  |   | Antenne                              |                                                                 |
|-----------------------------------------------------------|---|--------------------------------------|-----------------------------------------------------------------|
| Medien-Server                                             | ✓ | Antennen-Design *                    | Intern                                                          |
| Anschlüsse und Schnittstellen                             |   | Merkmale                             |                                                                 |
| Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *                  | 5 | Funktioniert mit Amazon Alexa        | ✓                                                               |
| USB Anschluss *                                           | ✓ | Funktioniert mit Google Assistant    | ✓                                                               |
| USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ A | 1 | <b>Energie</b>                       |                                                                 |
| Management-Funktionen                                     |   | Energiequelle *                      | AC                                                              |
| Web-basiertes Management                                  | ✓ | Ausgangsspannung                     | 12 V                                                            |
| Quality of Service (QoS) Support                          | ✓ | Ausgangsstrom                        | 2,5 A                                                           |
| Reset-Knopf                                               | ✓ | <b>Betriebsbedingungen</b>           |                                                                 |
| WPS Sicherheit per Tastendruck                            | ✓ | Betriebstemperatur                   | 0 - 40 °C                                                       |
|                                                           |   | Relative Luftfeuchtigkeit in Betrieb | 10 - 90%                                                        |
|                                                           |   | <b>Systemanforderung</b>             |                                                                 |
|                                                           |   | Unterstützter Browser                | Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+ |
|                                                           |   | <b>Verpackungsdaten</b>              |                                                                 |
|                                                           |   | Verpackungsart                       | Box                                                             |
|                                                           |   | Anzahl enthaltener Produkte          | 1 Stück(e)                                                      |



1210002600606



1210002600613

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.