

iiyama ProLite X2491H-B1 Computerbildschirm 60,5 cm (23.8") 1920 x 1080 Pixel Full HD LCD Schwarz

Marke : iiyama

Produktfamilie: ProLite

Artikel-Code: X2491H-B1

Produktname : X2491H-B1

24" (60.5 cm) IPS-Monitor mit 120 Hz-Leistung und Technologien zur Reduzierung der Augenbelastung iiyama ProLite X2491H-B1. Bildschirmdiagonale: 60,5 cm (23.8"), Display-Auflösung: 1920 x 1080 Pixel, HD-Typ: Full HD, Bildschirmtechnologie: LCD, Display-Oberfläche: Matt, Natives Seitenverhältnis: 16:9, Bildwinkel, horizontal: 178°, Bildwinkel, vertikal: 178°. VESA-Halterung. Produktfarbe: Schwarz



Bildschirm		Ergonomie	
Bildschirmdiagonale *	60,5 cm (23.8")	VESA-Halterung *	✓
Display-Auflösung *	1920 x 1080 Pixel	Panel-Montage-Schnittstelle	100 x 100 mm
HD-Typ *	Full HD	Verbessertes Kabelmanagement	✓
Natives Seitenverhältnis *	16:9	Kabelsperr-Slot *	✓
Bildschirmtechnologie *	LCD	Slot-Typ Kabelsperr	Kensington
Panel-Typ *	IPS	Höhenverstellung *	✗
Touchscreen *	✗	Neigungsverstellung	✓
Helligkeit (typisch)	350 cd/m²	Neigungswinkelbereich	-3 - 20°
Reaktionszeit (MPRT)	1 ms	Menüsprachen	Tschechisch, Deutsch, Englisch, Spanisch, Französisch, Italienisch, Japanisch, Niederländisch, Polnisch, Russisch, Ukrainisch
Display-Oberfläche	Matt		
Bildschirmform *	Flach		
Kontrastverhältnis *	1500:1		
Kontrastverhältnis (dynamisch)	80000000:1		
Maximale Bildwiederholrate *	120 Hz	Energie	
Bildwinkel, horizontal	178°	Energieeffizienzklasse (SDR) *	C
Bildwinkel, vertikal	178°	Energieeffizienzklasse (HDR) *	Nicht verfügbar
Anzahl der Farben des Displays *	16,7 Millionen Farben	Energieverbrauch (SDR) pro 1.000 Stunden *	12 kWh
Pixel Abstand	0,275 x 0,275 mm	Stromverbrauch (Standardbetrieb) *	12 W
Horizontaler Scanbereich	30 - 140 kHz	Stromverbrauch (Standby) *	0,5 W
Sichtbare Größe (horizontal)	52,7 cm	Stromverbrauch (aus)	0,3 W
Sichtbare Größe (vertikal)	29,6 cm	AC Eingangsspannung	100 - 240 V
Bildschirmdiagonale (cm)	60,5 cm	AC Eingangsfrequenz	50/60 Hz
DDC/CI	✓	Netzteiltyp	Intern
sRGB Abdeckung (klassisch)	96%	Energieeffizienzsкала	A bis G
NTSC Abdeckung (typisch)	72%	Gewicht und Abmessungen	
Leistungen		Gerätebreite (inkl. Standfuß)	539 mm
AMD FreeSync *	✓	Gerätetiefe (inkl. Standfuß)	175 mm
VESA Adaptive Sync unterstützt	✓	Gerätehöhe (inkl. Standfuß)	387 mm
Flimmerfreie Technologie	✓	Gewicht (inklusive Standfuß)	3,2 kg
Low-Blue-Light-Technologie	✓	Verpackungsdaten	
		Verpackungsbreite	615 mm

Multimedia		Verpackungsdaten	
Eingebaute Lautsprecher *	✗	Verpackungstiefe	126 mm
Integrierte Kamera *	✗	Verpackungshöhe	395 mm
Design		Paketgewicht	4,8 kg
Marktpositionierung *	Büro	Lieferumfang	
Produktfarbe *	Schwarz	Mitgelieferte Kabel	AC, HDMI
Anschlüsse und Schnittstellen		HDMI-Kabellänge	1,5 m
Integrierter USB-Hub *	✗	Stromkabellänge	1,5 m
HDMI *	✓	Nachhaltigkeit	
Anzahl HDMI-Anschlüsse	1	Nachhaltigkeitszertifikate	ErP, TCO
HDMI-Version	1.4	Sonstige Funktionen	
Anzahl DisplayPort Anschlüsse	1	Verpackungsinhalt	quick start guide, safety guide colour settings (i-Style colour, blue light reducer, RGB range, colour temperature, user preset), OSD (OSD H. position, OSD V. position, OSD time, OSD background, DDC/CI control, display information), language, extra 1 (sharpness, video mode adjust, opening logo, power LED), extra 2 (shortcut key), input select, audio settings (volume, mute audio), reset (reset all?)
Version des DisplayPort-Ausgangs	1.2	Benutzerkontrollen	
Kopfhörerausgang *	✓		
HDCP	✓	Gewicht	3,2 kg
		Höhe	387 mm
		Breite	539 mm
		Tiefe	175 mm
		Bedienfeld	Joystick: Power/Menu (Centre), Up/Signal Select, Down, Left/Submenu, Right/Volume
		Konformitätsbescheinigungen	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
		Technische Details	
		Wiederholfrequenz	60 Hz



4948570127832

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.