

TP-Link TL-SG1016PE Netzwerk-Switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : TP-Link

Artikel-Code: TL-SG1016PE

Produktname : TL-SG1016PE




TP-Link TL-SG1016PE. Switch-Typ: Managed, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 16. Vollduplex. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 32 Gbit/s. Netzstandard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE.... Power over Ethernet (PoE). Rack-Einbau



Management-Funktionen		Sicherheit	
Switch-Typ *	Managed	Statische Anschlusssicherheit	✓
Switch-Ebene	L2	Loop Protection	✓
Quality of Service (QoS) Support	✓	Design	
Web-basiertes Management	✓	Rack-Einbau *	✓
Anschlüsse und Schnittstellen		Stapelbar *	✗
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	16	Produktfarbe	Schwarz
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	LED-Anzeigen	✓
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	16	Anzahl Lüfter	1 Lüfter
Netzwerk		Energie	
Netzstandard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x	Netzteil enthalten *	✓
		AC Eingangsspannung	100 - 240 V
		AC Eingangsfrequenz	50 - 60 Hz
		Stromverbrauch (max.)	124,4 W
10G-Unterstützung *	✗	Power over Ethernet (PoE)	
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Power over Ethernet (PoE) *	✓
unterstützte Kabeltypen	Cat3, Cat4, Cat5, Cat5e, Cat6	Anzahl Power over Ethernet plus (PoE+) Anschlüsse	8
Port-Spiegelung	✓	Power over Ethernet (PoE) Leistung pro Anschluss	30 W
Vollduplex	✓	Gesamtleistung Power over Ethernet (PoE)	150 W
Unterstützung Datenflusssteuerung	✓	Betriebsbedingungen	
Link Aggregation	✓	Betriebstemperatur	0 - 40 °C
Broadcast-Sturmkontrolle	✓	Temperaturbereich bei Lagerung	-40 - 70 °C
Ratenbeschränkung	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Auto MDI/MDI-X	✓	Luftfeuchtigkeit bei Lagerung	5 - 90%
Auto-Negotiation-Funktion	✓		


Netzwerk		Gewicht und Abmessungen	
VLAN-Unterstützung	✓	Breite	294 mm
Virtuelle LAN-Funktionen	Port-based VLAN, Tagged VLAN	Tiefe	180 mm
Anzahl der VLANs	4000	Höhe	44 mm
Datenübertragung		Lieferumfang	
Routing-/Switching-Kapazität *	32 Gbit/s	Mitgelieferte Kabel	AC
Durchgang	23,8 Mpps	Rackmontageset	✓
MAC-Adressentabelle *	8000 Eintragungen	Zertifikate	
Store-and-Forward	✓	Zertifizierung	FCC, CE, RoHS
Anzahl Queues	4	Logistikdaten	
Jumbo Frames Unterstützung	✓	Warentarifnummer (HS)	85176990
Jumbo-Frames	10000		
Sicherheit			
IGMP-Snooping	✓		



1210002616782



1210002616775



0840460603973



840460603973

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.