

TP-Link 8-Port Gigabit Easy Smart Switch mit 4-Port PoE+

Marke : TP-Link

Artikel-Code: TL-SG108PE V2

Produktname : 8-Port Gigabit Easy Smart Switch mit 4-Port PoE+



8 10/100/1000Mbps RJ45 Ports, AUTO Negotiation/AUTO MDI/MDIX, IEEE 802.3i/u/ab/af/x, IEEE 802.1q/p, 158 x 101 x 25 mm

TP-Link 8-Port Gigabit Easy Smart Switch mit 4-Port PoE+. Switch-Typ: Managed, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 4000 Eintragungen, Routing-/Switching-Kapazität: 16 Gbit/s. Netzstandard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE)



Management-Funktionen		Energie	
Switch-Typ *	Managed	Energiequelle *	Gleichstrom
Switch-Ebene	L2	Netzteil enthalten *	✓
Quality of Service (QoS) Support	✓	AC Eingangsspannung	220 V
Web-basiertes Management	✓	AC Eingangsfrequenz	50 Hz
Anschlüsse und Schnittstellen		Eingangsstrom	1.25 A
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Eingangsspannung	48 V
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Stromverbrauch (max.)	65,2 W
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	8	Power over Ethernet (PoE)	
Netzwerk		Power over Ethernet (PoE) *	✓
Netzstandard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Anzahl Power over Ethernet (PoE) Anschlüsse	4
10G-Unterstützung *	✗	Anzahl Power over Ethernet plus (PoE+) Anschlüsse	4
unterstützte Kabeltypen	Cat3, Cat4, Cat5, Cat5e, Cat6	Power over Ethernet (PoE) Leistung pro Anschluss	15,4 W
Port-Spiegelung	✓	Gesamtleistung Power over Ethernet (PoE)	64 W
Link Aggregation	✓	Betriebsbedingungen	
Broadcast-Sturmkontrolle	✓	Betriebstemperatur	0 - 40 °C
Ratenbeschränkung	✓	Temperaturbereich bei Lagerung	-40 - 70 °C
Auto MDI/MDI-X	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Auto-Negotiation-Funktion	✓	Luftfeuchtigkeit bei Lagerung	5 - 95%
VLAN-Unterstützung	✓	Wärmeableitung	256,19 BTU/h
Virtuelle LAN-Funktionen	Port-based VLAN	Gewicht und Abmessungen	
Anzahl der VLANs	32	Breite	158 mm
Datenübertragung		Tiefe	101 mm
Routing-/Switching-Kapazität *	16 Gbit/s	Höhe	25 mm
Transferrate	11,9 Mpps	Lieferumfang	
MAC-Adressentabelle *	4000 Eintragungen	Mitgelieferte Kabel	AC
Store-and-Forward	✓	Benutzerhandbuch	✓
Jumbo Frames Unterstützung	✓	Verpackungsdaten	
		Verpackungsart	Box

Datenübertragung		Verpackungsdaten	
Jumbo-Frames	15000	Verpackungsbreite	131 mm
Paketweiterleitungsrate (1 Gbit/s)	11900000 pps	Verpackungstiefe	196 mm
Datenpaket-Pufferspeicher	1,5 MB	Verpackungshöhe	121 mm
Sicherheit		Paketgewicht	860 g
IGMP-Snooping	✓	Zertifikate	
Loop Protection	✓	Zertifizierung	FCC, CE, RoHS
Design		Logistikdaten	
Produktfarbe	Schwarz	Warentarifnummer (HS)	85176990
LED-Anzeigen	Aktivität, Link, PoE, Leistung, Geschwindigkeit, Status		



6935364094744




0845973094744



845973094744




6935364094751



5054242560797



1210002616959



1210002616942



0840460602327



840460602327

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.