

NETGEAR GS305Pv3 Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : NETGEAR

Artikel-Code: GS305P-300EUS

Produktname : GS305Pv3



NETGEAR GS305Pv3. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 5. Vollduplex. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 10 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. DC input Spannung: 54 V. Netzstecker: DC-Anschluss. Power over Ethernet (PoE). Wandmontage



Management-Funktionen		Design	
Switch-Typ *	Unmanaged	Wandmontage	✓
Quality of Service (QoS) Support	✓	Leistungen	
Anschlüsse und Schnittstellen		Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	4113947 h
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	5	Energie	
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Energiequelle *	Gleichstrom
Netzstecker	DC-Anschluss	DC input Spannung	54 V
Netzwerk		Eingangsstrom	1.25 A
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Stromverbrauch (max.)	66,78 W
10G-Unterstützung *	✗	Power over Ethernet (PoE)	
Vollduplex	✓	Power over Ethernet (PoE) *	✓
Halb-Duplex	✓	Power over Ethernet (PoE) Leistung pro Anschluss	30 W
Unterstützung Datenflusssteuerung	✓	Gesamtleistung Power over Ethernet (PoE)	63 W
Auto MDI/MDI-X	✓	Sonstige Funktionen	
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s	Garantiezeit	3 Jahr(e)
Auto-Abtastung	✓	Betriebsbedingungen	
Datenübertragung		Betriebstemperatur	0 - 40 °C
Routing-/Switching-Kapazität *	10 Gbit/s	Relative Luftfeuchtigkeit in Betrieb	0 - 90%
MAC-Adressentabelle *	2000 Eintragungen	Höhe bei Betrieb	0 - 3000 m
Jumbo Frames Unterstützung	✓	Wärmeableitung	228,38 BTU/h
Jumbo-Frames	9216	Gewicht und Abmessungen	
Paketweiterleitungsrate (1 Gbit/s)	1448000 pps	Breite	158 mm
Datenpaket-Pufferspeicher	0,128 MB	Tiefe	101 mm
Design		Höhe	27 mm
Rack-Einbau *	✗	Gewicht	400 g

Design		Technische Details	
Stapelbar *	✗	Versandkartonshöhe	37,5 cm
Produktfarbe	Schwarz	Versandkartonsbreite	45,1 cm
LED-Anzeigen	✓	Versandkartonslänge	25,5 cm
		Nettogewicht Versandkarton	14 kg
		Menge pro Versandkarton	10 Stück(e)



0606449164909



606449164909

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.