



APC Smart-UPS Li-ion SMTL3000RMI2UCNC - 8xC13 & 1xC19, Rackmount 2U, SmartConnect, NMC, 3000VA

Marke : APC

Artikel-Code: SMTL3000RMI2UCNC

Produktname : APC Smart-UPS Li-ion SMTL3000RMI2UCNC
- 8xC13 & 1xC19, Rackmount 2U, SmartConnect, NMC,
3000VA



APC Smart-UPS Li-ion SMTL3000RMI2UCNC - 8xC13 & 1xC19, Rackmount 2U, SmartConnect, NMC,
3000VA

APC Smart-UPS Li-ion SMTL3000RMI2UCNC - 8xC13 & 1xC19, Rackmount 2U, SmartConnect, NMC,
3000VA. USV-Topologie: Line-Interaktiv, Ausgangskapazität: 3 kVA, Ausgangsleistung: 2700 W. AC-
Steckertypen: C13-Koppler, C19-Koppler, Stecker: C20-Koppler, Anzahl der AC-Ausgänge: 9 AC-
Ausgänge. Akku-/Batterietechnologie: Lithium-Ion (Li-Ion), Akkuladezeit: 2 h. Formfaktor: Rackmount,
Produktfarbe: Schwarz, Grau, Rack-Kapazität: 2U. Konformitätsbescheinigungen: RoHS



Merkmale		Akku/Batterie	
USV-Topologie *	Line-Interaktiv	Hot-Swap-Batterie	✓
Ausgangskapazität *	3 kVA	Automatischer Batterietest	✓
Ausgangsleistung *	2700 W	Design	
Wellenform *	Sine	Formfaktor *	Rackmount
Eingangs-Betriebsspannung (min) *	160 V	Rack-Kapazität	2U
Eingangs-Betriebsspannung (max) *	286 V	Produktfarbe *	Schwarz, Grau
Eingangsfrequenz *	50/60 Hz	Display-Typ	LCD
Ausgangs-Betriebsspannung (min)	220 V	LED-Anzeigen	✓
Ausgangs-Betriebsspannung (max)	240 V	Internationale Schutzart (IP-Code)	IP20
Output Frequenz	50/60 Hz	Betriebsbedingungen	
Automatische Spannungsregulierung	✓	Betriebstemperatur	0 - 40 °C
Anstieg der Energiemenge	739 J	Temperaturbereich bei Lagerung	-15 - 45 °C
Reaktionszeit	6 ms	Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Crest-Faktor	3:1	Luftfeuchtigkeit bei Lagerung	0 - 95%
Geräuschpegel	55 dB	Höhe bei Betrieb	0 - 3048 m
Akustische Signale	✓	Höhe bei Lagerung	0 - 7620 m
Auto-Neustart	✓	Zertifikate	
Energiequelle	AC	Konformitätsbescheinigungen	RoHS
Anschlüsse und Schnittstellen		Lieferumfang	
AC-Steckertypen	C13-Koppler, C19-Koppler	Rackmontageset	✓
Stecker	C20-Koppler	Mitgelieferte Kabel	RJ-45, USB-Kabel
Anzahl der AC-Ausgänge	9 AC-Ausgänge	Management-Karte enthalten	✓
USB Anschluss	✓	Nachhaltigkeit	
Serielle Schnittstelle	✓	Nachhaltigkeitskonformität	✓
Anzahl serielle Anschlüsse	1	Nachhaltigkeitszertifikate	ENERGY STAR
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	1		

Anschlüsse und Schnittstellen		Gewicht und Abmessungen	
Notaus-Steckverbinder (EPO)	✓	Breite	432 mm
SmartSlot	✓	Tiefe	683 mm
SmartConnect-Anschluss	✓	Höhe	86 mm
Akku/Batterie		Gewicht	33,3 kg
		Verpackungsdaten	
Akku-/Batterietechnologie	Lithium-Ion (Li-Ion)	Verpackungsbreite	600 mm
Akkuladezeit	2 h	Verpackungstiefe	980 mm
		Verpackungshöhe	458 mm
		Paketgewicht	41,5 kg



0731304643180



731304643180

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.