

TP-Link 3G/4G-WLAN-Router

Marke : TP-Link

Artikel-Code: TL-MR3420

Produktname : 3G/4G-WLAN-Router

- Kompatibel zu LTE/HSUPA/HSDPA/UMTS/EVDO-USB-Modems, im Feldversuch getestet
- Die 3G/4G*-WAN-Ausfallsicherung garantiert eine beständige Internetverbindung
- Lokaler Datenaustausch über WLAN, Geschwindigkeiten bis zu 300 Mbit/s, ideal für HD-Videostreaming und Gaming
- Einfach zu bedienende WLAN-Sicherheitsverschlüsselung beim Bedienen der WPS-Taste (WPS-kompatibel)
- Die Bandbreitensteuerung ermöglicht es den Administratoren zu bestimmen, wie viel Übertragungskapazität jedem PC zugeteilt wird

3G/4G-WLAN-Router

TP-Link 3G/4G-WLAN-Router. WAN-Verbindungstyp: RJ-45. WLAN-Band: Einzelband (2,4GHz), Top WLAN-Standard: Wi-Fi 4 (802.11n), WLAN Datentransferrate (max.): 300 Mbit/s. Schnittstellentyp Ethernet-LAN: Schnelles Ethernet, Ethernet LAN Datentransferraten: 10,100 Mbit/s, Netzstandard: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u. Firewall: NAT, SPI. Produkttyp: Tabletop-Router, Produktfarbe: Schwarz, Weiß



WAN-Verbindung	
Ethernet-WAN *	✓
DSL-WAN *	✗
SIM-Karten-Slot *	✗
3G/4G USB Modem-Kompatibilität *	✓
WAN-Verbindungstyp	RJ-45
Wireless LAN Funktionen	
WLAN-Band *	Einzelband (2,4GHz)
Top WLAN-Standard *	Wi-Fi 4 (802.11n)
WLAN Datentransferrate (max.) *	300 Mbit/s
WLAN-Standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Modulation	16-QAM, 64-QAM, CCK, DBPSK, DQPSK, OFDM
Netzwerk	
Ethernet/LAN *	✓
Schnittstellentyp Ethernet-LAN *	Schnelles Ethernet
Ethernet LAN Datentransferraten	10,100 Mbit/s
Netzstandard	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u
Auto MDI/MDI-X	✓
Empfängersensitivität	270M: -68dBm@10% PER, 130M: -68dBm@10% PER, 108M: -68dBm@10% PER, 54M: -68dBm@10% PER, 11M: -85dBm@8% PER, 6M: -88dBm@10% PER, 1M: -90dBm@8% PER
Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4

Zertifikate	
Konformitätsbescheinigungen	RoHS, Eidgenössische Kommunikationskommission (FCC), CE
Lieferumfang	
Mitgelieferte Kabel	LAN (RJ-45)
AC-Netzadapter	✓
Antenne enthalten	✓
Schnellinstallationsanleitung	✓
Nachhaltigkeit	
Nachhaltigkeitskonformität	✓
Antenne	
Antennen-Design *	Extern
Antenne Steckertyp	RP-SMA
Antenne Zunahmehöhe (max)	5 dBi
Anzahl der Antennen	2
Antennenrichtungsart	Mit kugelförmiger Richtcharakteristik
Sendeleistung	20 dBmW
Merkmale	
Upgradefähige Firmware	✓
Energie	
Energiequelle *	AC
Ausgangsspannung	12 V
Ausgangsstrom	1 A
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C

Anschlüsse und Schnittstellen		Betriebsbedingungen	
USB Anschluss *	✓	Temperaturbereich bei Lagerung	-40 - 70 °C
Anzahl USB 2.0 Anschlüsse	1	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Gleichstrom-Anschluss (DC)	✓	Luftfeuchtigkeit bei Lagerung	5 - 95%
Management-Funktionen		Systemanforderung	
Web-basiertes Management	✓	Unterstützt Windows-Betriebssysteme	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
WPS Sicherheit per Tastendruck	✓		
Sicherheit			
Firewall	✓		
Firewall	NAT, SPI		
DDoS-Schutz	✓		
Filterung	✓		
MAC Adressen Filtern	✓		
IP-Adressen Filter	✓		
URL-Filterung	✓		
Design		Unterstützte Linux-Betriebssysteme ✓	
Produktfarbe	Schwarz, Weiß		
Ein-/Ausschalter	✓		
Produkttyp *	Tabletop-Router	Unterstützt Mac-Betriebssysteme ✓	
Gewicht und Abmessungen			
Breite		204 mm	
Tiefe		138 mm	
Höhe		44 mm	
Verpackungsdaten			
Verpackungsbreite		315 mm	
Verpackungstiefe		240 mm	
Verpackungshöhe		70 mm	
Paketgewicht		620 g	
Logistikdaten			
Warentarifnummer (HS)		85176990	



6935364051495



0854587033407



854587033407



0845973051495



845973051495

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.