

TP-Link PA411KIT 500 Mbit/s Ethernet/LAN Weiß 2 Stück(e)

Marke : TP-Link

Artikel-Code: TL-PA411 KIT

Produktname : PA411KIT

AV500-Powerline-Adapter KIT

TP-Link PA411KIT. Maximale Datenübertragungsrate: 500 Mbit/s, Netzstandard: IEEE 802.3, IEEE 802.3u, Schnittstellentyp Ethernet-LAN: Schnelles Ethernet. Stromverbrauch (Standardbetrieb): 2 W. Produktfarbe: Weiß, LED-Anzeigen: LAN, PLC, Leistung, Zertifizierung: FCC. Unterstützt Windows-Betriebssysteme: Windows 2000, Windows 2000 Professional, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7.... Breite: 65 mm, Tiefe: 52 mm, Höhe: 28,5 mm



Leistungen		Systemanforderung	
Maximale Datenübertragungsrate *	500 Mbit/s	Unterstützt Windows-Betriebssysteme	Windows 2000, Windows 2000 Professional, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows Vista Business, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Ethernet/LAN *	✓		
Schnittstellentyp Ethernet-LAN	Schnelles Ethernet		
Ethernet LAN Datentransferraten	10,100 Mbit/s		
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	1		
WLAN *	✗		
Netzstandard *	IEEE 802.3, IEEE 802.3u		
Eingebaute Steckdose *	✗		
Modulation	OFDM		
Unterstützte Sicherheitsalgorithmen	128-bit AES		
Maximaler Arbeitsabstand	300 m		
Quality of Service (QoS) Support	✓		
Plug & Play	✓		
Energie			
Stromverbrauch (Standardbetrieb)	2 W		
Design			
LED-Anzeigen	LAN, PLC, Leistung	Unterstützte Linux-Betriebssysteme	✓
Produktfarbe *	Weiß	Unterstützt Mac-Betriebssysteme	✓
Zertifizierung	FCC		
Betriebsbedingungen			
Betriebstemperatur		0 - 40 °C	
Temperaturbereich bei Lagerung		40 - 70 °C	
Relative Luftfeuchtigkeit in Betrieb		10 - 90%	
Luftfeuchtigkeit bei Lagerung		5 - 90%	
Gewicht und Abmessungen			
Breite		65 mm	

Gewicht und Abmessungen	
Tiefe	52 mm
Höhe	28,5 mm
Zertifikate	
Konformitätsbescheinigungen	RoHS
Lieferumfang	
Menge pro Packung *	2 Stück(e)
Schnellinstallationsanleitung	✓
Mitgelieferte Kabel	LAN (RJ-45)
Logistikdaten	
Warentarifnummer (HS)	85171800



6935364031725



6935364032494



6935364085261

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.