

TP-Link 16-Port 10/100 Mbps + 2-Port Gigabit Rackmount Switch mit 16-Port PoE+

Marke : TP-Link

Artikel-Code: TL-SL1218P

Produktname : 16-Port 10/100 Mbps + 2-Port Gigabit Rackmount Switch mit 16-Port PoE+



- 16x PoE+ 10/100 Mbps RJ45 ports, 2x Gigabit RJ45 ports, und 1x combo Gigabit SFP slot
- Hohes PoE-Leistungsbudget mit bis zu 30 W für jeden PoE-Port und 150 W für alle PoE-Ports.*
- Bis zu 250 m Daten- und Stromübertragung im Extended-Modus speziell für Überwachungssysteme.**
- Prioritäts-Modus bietet eine Priorisierte Übertragung für die Ports 1-2, um die Qualität von wichtigen Anwendungen zu sichern
- Isolation Mode ermöglicht die Trennung des Client-Verkehrs mit einem Klick für höhere Sicherheit und Leistung
- Einfach zu bedienen, keine Konfiguration und Installation erforderlich
- 7.2 Gbps, 5.36 Mpps, 16x 10/100 Mbps RJ-45, 2x 1G RJ-45, 1x Combo SFP, 440x180x44 mm

Management-Funktionen		Energie	
Switch-Typ *	Unmanaged	AC Eingangsspannung	100 - 240 V
Traffic-Klassifizierung	✓	AC Eingangsfrequenz	50 - 60 Hz
Anschlüsse und Schnittstellen		Stromverbrauch (max.)	172,8 W
		Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	✓
		Anzahl Power over Ethernet plus (PoE+) Anschlüsse	16
		Power over Ethernet (PoE) Leistung pro Anschluss	30 W
		Gesamtleistung Power over Ethernet (PoE)	150 W
Netzwerk		Betriebsbedingungen	
Netzstandard *	IEEE 802.3af, IEEE 802.3at, IEEE 802.3x	Betriebstemperatur	0 - 50 °C
10G-Unterstützung *	✗	Temperaturbereich bei Lagerung	-40 - 70 °C
unterstützte Kabeltypen	Cat3, Cat4, Cat5, Cat5e, Cat6	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Auto MDI/MDI-X	✓	Luftfeuchtigkeit bei Lagerung	5 - 90%
Auto-Negotiation-Funktion	✓	Wärmeableitung	589,25 BTU/h
Datenübertragung		Gewicht und Abmessungen	
Routing-/Switching-Kapazität *	7,2 Gbit/s	Breite	440 mm
Transferrate	5,36 Mpps	Tiefe	180 mm
MAC-Adressentabelle *	8000 Eintragungen	Höhe	44 mm
Jumbo Frames Unterstützung	✓	Lieferumfang	
Jumbo-Frames	10000	Mitgelieferte Kabel	AC
Datenpaket-Pufferspeicher	4,1 MB	Schnellstartübersicht	✓
Design		Verpackungsdaten	
Rack-Einbau *	✓	Verpackungsbreite	250 mm
		Verpackungstiefe	528 mm

Design		Verpackungsdaten	
Formfaktor	1U	Verpackungshöhe	80 mm
Produktfarbe	Schwarz	Paketgewicht	2,8 kg
Gehäusematerial	Metall	Zertifikate	
LED-Anzeigen	✓	Zertifizierung	CE, FCC, RoHS
Anzahl Lüfter	2 Lüfter	Logistikdaten	
Energie		Warentarifnummer (HS)	85176990
Energiequelle *	AC		
Netzteil enthalten *	✓		



6935364052812



6935364052829



0845973088712



845973088712



5715063228371

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.