

TP-Link Archer C54 WLAN-Router Schnelles Ethernet Dual-Band (2,4 GHz/5 GHz) Schwarz

Marke : TP-Link

Artikel-Code: ARCHER C54

Produktname : Archer C54

TP-Link Archer C54. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 5 (802.11ac), WLAN Datentransferrate (max.): 867 Mbit/s. Schnittstellentyp Ethernet-LAN: Schnelles Ethernet, Ethernet LAN Datentransferraten: 10,100 Mbit/s, Netzstandard: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11d, IEEE 802.11g, IEEE 802.11n. Unterstützte Sicherheitsalgorithmen: WEP, WPA, WPA2, WPA2-Enterprise. Produkttyp: Tabletop-Router, Produktfarbe: Schwarz. Antennen-Design: Extern



WAN-Verbindung		Sicherheit	
Ethernet-WAN *	✓	Unterstützte Sicherheitsalgorithmen	WEP, WPA, WPA2, WPA2-Enterprise
DSL-WAN *	✓	Firewall	✓
SIM-Karten-Slot *	✗	Zugriffkontrollliste	✓
Wireless LAN Funktionen		Zustandsorientierte Paketüberprüfung (SPI)	✓
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)	DMZ-Unterstützung	✓
Top WLAN-Standard *	Wi-Fi 5 (802.11ac)	Protokolle	
WLAN Datentransferrate (max.) *	867 Mbit/s	DHCP-Client	✓
WLAN-Datenübertragungsrate (erstes Band)	867 Mbit/s	DHCP-Server	✓
WLAN-Datenübertragungsrate (zweites Band)	300 Mbit/s	Universal Plug and Play (UPnP)	✓
Netzwerk		Design	
Ethernet/LAN *	✓	Produktfarbe	Schwarz
Schnittstellentyp Ethernet-LAN *	Schnelles Ethernet	Produkttyp *	Tabletop-Router
Ethernet LAN Datentransferraten	10,100 Mbit/s	Antenne	
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11d, IEEE 802.11g, IEEE 802.11n	Antennen-Design *	Extern
Portweiterleitung	✓	Anzahl der Antennen	4
Port-Auslösung	✓	Energie	
Dynamisches DNS (DDNS)	✓	Energiequelle *	AC
Mobiles Netzwerk		Ausgangsspannung	9 V
3G	✗	Ausgangsstrom	0,85 A
4G	✗	Betriebsbedingungen	
Anschlüsse und Schnittstellen		Betriebstemperatur	0 - 40 °C
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4	Temperaturbereich bei Lagerung	-40 - 60 °C
		Relative Luftfeuchtigkeit in Betrieb	10 - 90%
		Luftfeuchtigkeit bei Lagerung	5 - 90%

Management-Funktionen		Gewicht und Abmessungen	
Quality of Service (QoS) Support	✓	Breite	115 mm
Reset-Knopf	✓	Tiefe	106,7 mm
WPS Sicherheit per Tastendruck	✓	Höhe	24,3 mm
MU-MIMO-Technologie	✓		



6935364089337

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.