



APC Smart-UPS On-Line SRT1500RMXLI-NC - 1500 VA, 6x C13-Ausgang, Rack-montierbar, NMC

Marke : APC

Artikel-Code: SRT1500RMXLI-NC



Produktname : APC Smart-UPS On-Line SRT1500RMXLI-NC
- 1500 VA, 6x C13-Ausgang, Rack-montierbar, NMC

- 1500VA/1500W Doppelwandler-Online-USV mit reiner Sinuswelle für Rackmontage 2 HE
 - Ideal für Server, Speicher, Sprach-/Datennetzwerke, medizinische Labore und leichte industrielle Anwendungen
 - Rack/Tower umbaubar (Schienen-Kit enthalten)
 - Liefert sauberen Strom ohne Umschaltzeit für kritische oder empfindliche Geräte
 - Hinzufügen von bis zu 10 externen Batteriesätzen (SRT48RMBP) zur Verlängerung der Laufzeit
- APC Smart-UPS On-Line SRT1500RMXLI-NC - 1500 VA, 6x C13-Ausgang, Rack-montierbar, NMC




Merkmale		Design	
USV-Topologie *	Doppelwandler (Online)	Produktfarbe *	Schwarz
Ausgangskapazität *	1,5 kVA	Display-Typ	LCD
Ausgangsleistung *	1500 W	LED-Anzeigen	Status
Wellenform *	Sine	Internationale Schutzart (IP-Code)	IP20
Eingangs-Betriebsspannung (min) *	50 V	Betriebsbedingungen	
Eingangs-Betriebsspannung (max) *	150 V	Betriebstemperatur	0 - 40 °C
Eingangsfrequenz *	40/70 Hz	Temperaturbereich bei Lagerung	-20 - 50 °C
Ausgangs-Betriebsspannung (min)	220 V	Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Ausgangs-Betriebsspannung (max)	240 V	Luftfeuchtigkeit bei Lagerung	0 - 95%
Output Frequenz	50/60 Hz	Zertifikate	
Anstieg der Energiemenge	432 J	Konformitätsbescheinigungen	RoHS
Crest-Faktor	3:1	Zertifizierung	CE, EAC
Notstrom Aus (EPO)	✓	Lieferumfang	
Geräuschpegel	50 dB	Management-Karte enthalten	✓
Akustische Signale	✓	Betriebsanleitung	✓
Anschlüsse und Schnittstellen		Nachhaltigkeit	
AC-Steckertypen	C13-Koppler	Nachhaltigkeitszertifikate	Green Premium
Anzahl der AC-Ausgänge	6 AC-Ausgänge	Gewicht und Abmessungen	
USB Anschluss	✓	Breite	432 mm
Serielle Schnittstelle	✓	Tiefe	505 mm
Serielle Schnittstelle	RJ-45	Höhe	85 mm
SmartSlot	✓	Gewicht	21 kg
SmartConnect-Anschluss	✗	Verpackungsdaten	
Akku/Batterie		Verpackungsbreite	594 mm
Akku-/Batterietechnologie	Plombierte Bleisäure (VRLA)	Verpackungstiefe	749 mm
Akku-/Batteriespannung	48 V	Verpackungshöhe	246 mm
Batterielebensdauer (max.)	5 Jahr(e)		

Akku/Batterie		Verpackungsdaten	
Akkuladezeit	3 h	Paketgewicht	29,6 kg
Hot-Swap-Batterie	✓	Logistikdaten	
Design		Produkte pro Palette	12 Stück(e)
Formfaktor *	Rackmount	Warentarifnummer (HS)	85078000
Kabellänge	1,83 m	Gesamter Kohlendioxid-Fußabdruck (kg of CO2e)	2577,53



0731304340294



731304340294

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.