



TP-Link JetStream TL-SG2210P Netzwerk-Switch Managed L2/L4 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : TP-Link

Produktfamilie: JetStream

Artikel-Code: TL-SG2210P

Produktname : TL-SG2210P

TP-Link JetStream TL-SG2210P. Switch-Typ: Managed, Switch-Ebene: L2/L4. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 20 Gbit/s. Netzstandard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3, IEEE.... Netzstecker: DC-Anschluss. Power over Ethernet (PoE)



Management-Funktionen		Sicherheit	
Switch-Typ *	Managed	BPDU-Filterung/Schutz	✓
Switch-Ebene	L2/L4	IP-MAC-Portbindung	✓
Quality of Service (QoS) Support	✓	Authentifizierung	MAC-basierte Authentifizierung, Port-basierte Authentifizierung
Web-basiertes Management	✓		
ARP-Inspektion	✓		
Anschlüsse und Schnittstellen		Multicast-Funktionen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Multicast Unterstützung	✓
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Multicast Listener Discovery (MLD) Snooping	✓
Menge SFP-Modul-Steckplätze	2		
Netzstecker	DC-Anschluss		
Netzwerk		Protokolle	
Netzstandard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	IPv4 & IPv6-Funktionen	Dual stack IPv4/IPv6
10G-Unterstützung *	✗		
unterstützte Kabeltypen	Cat3, Cat4, Cat5, Cat5e		
Port-Spiegelung	✓		
Unterstützung Datenflusssteuerung	✓		
Link Aggregation	✓		
Broadcast-Sturmkontrolle	✓		
Ratenbeschränkung	✓		
Auto MDI/MDI-X	✓		
Spannbaum-Protokoll	✓		
		Design	
		Produktfarbe	Schwarz
		LED-Anzeigen	✓
		Leistungen	
		Upgradefähige Firmware	✓
		Energie	
		Netzteil enthalten *	✓
		AC Eingangsspannung	100 - 240 V
		AC Eingangsfrequenz	50 - 60 Hz
		Stromverbrauch (max.)	77,8 W
		Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	✓
		Betriebsbedingungen	
		Betriebstemperatur	0 - 40 °C
		Temperaturbereich bei Lagerung	-40 - 70 °C

Netzwerk		Betriebsbedingungen	
Auto-Negotiation-Funktion	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
VLAN-Unterstützung	✓	Luftfeuchtigkeit bei Lagerung	5 - 90%
Datenübertragung		Gewicht und Abmessungen	
Routing-/Switching-Kapazität *	20 Gbit/s	Breite	209 mm
Transferrate	14,9 Mpps	Tiefe	126 mm
MAC-Adressentabelle *	8000 Eintragungen	Höhe	26 mm
Jumbo Frames Unterstützung	✓	Lieferumfang	
Jumbo-Frames	9000	Schnellstartübersicht	✓
Sicherheit		Zertifikate	
Zugriffskontrollliste	✓	Zertifizierung	CE, FCC, RoHS
IGMP-Snooping	✓	Logistikdaten	
Statische Anschlusssicherheit	✓	Warentarifnummer (HS)	85176990
SSH-/SSL-Unterstützung	✓		



0845973088668



845973088668



6935364022020

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.