

NETGEAR GS308-300PES Netzwerk-Switch Unmanaged L2 Gigabit Ethernet (10/100/1000) Schwarz

Marke : NETGEAR

Artikel-Code: GS308-300PES

Produktname : GS308-300PES



NETGEAR GS308-300PES. Switch-Typ: Unmanaged, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 16 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u. Netzstecker: DC-Anschluss. Wandmontage

Management-Funktionen		Design	
Switch-Typ *	Unmanaged	Wandmontage	✓
Switch-Ebene	L2		
Quality of Service (QoS) Support	✓		
Anschlüsse und Schnittstellen		Leistungen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	3711898 h
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)		
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	8	Energie	
Netzstecker	DC-Anschluss	Stromverbrauch (max.)	3,04 W
Netzwerk		Power over Ethernet (PoE)	
Netzstandard *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u	Power over Ethernet (PoE) *	✗
10G-Unterstützung *	✗	Sonstige Funktionen	
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Garantiezeit	3 Jahr(e)
Unterstützung Datenflusssteuerung	✓	Betriebsbedingungen	
Auto MDI/MDI-X	✓	Betriebstemperatur	0 - 40 °C
Auto-Abtastung	✓	Temperaturbereich bei Lagerung	-20 - 70 °C
Kabellängenerfassung	✓	Relative Luftfeuchtigkeit in Betrieb	0 - 90%
Datenübertragung		Luftfeuchtigkeit bei Lagerung	0 - 95%
Routing-/Switching-Kapazität *	16 Gbit/s	Höhe bei Betrieb	0 - 3000 m
Transferrate	1,448 Mpps	Wärmeableitung	10,4 BTU/h
MAC-Adressentabelle *	8000 Eintragungen	Gewicht und Abmessungen	
Wartezeit (1 Gbps)	2,6 µs	Breite	158 mm
Jumbo Frames Unterstützung	✓	Tiefe	101 mm
Jumbo-Frames	9216	Höhe	29 mm
Datenpaket-Pufferspeicher	128 MB	Gewicht	390 g
Design		Technische Details	
Rack-Einbau *	✗	Versandkartonshöhe	43,4 cm
Produktfarbe	Schwarz	Versandkartonsbreite	48,6 cm
Gehäusematerial	Metall	Versandkartonslänge	32,9 cm
LED-Anzeigen	Aktivität, Link, Leistung	Nettogewicht Versandkarton	14,6 kg
		Menge pro Versandkarton	20 Stück(e)
		Zertifikate	
		Zertifizierung	CE Mark FCC Part 15 Class B IC Class B RCM CCC VCCI KC

Logistikdaten

Warentarifnummer (HS)

85176990



0606449140149



606449140149

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.