



D-Link DMS-1250-10S/E Netzwerk-Switch Managed 2.5G Ethernet (100/1000/2500) Schwarz

Marke : D-Link

Artikel-Code: DMS-1250-10S/E

Produktname : DMS-1250-10S/E



D-Link DMS-1250-10S/E. Switch-Typ: Managed. Basic Switching RJ-45 Ethernet Ports-Typ: 2.5G Ethernet (100/1000/2500), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 80 Gbit/s. Netzstandard: IEEE 802.3ab, IEEE 802.3af, IEEE 802.3an, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt, IEEE 802.3bz,.... Rack-Einbau



Management-Funktionen		Sicherheit	
Switch-Typ *	Managed	Zugriffskontrollliste (ACL) IPv6-Einträge	384
Quality of Service (QoS) Support	✓	IGMP-Snooping	✓
Web-basiertes Management	✓	IGMP-Einträge	256
ARP-Inspektion	✓	Loop Protection	✓
MIB Unterstützung	✓	Passwortschutz	✓
Anschlüsse und Schnittstellen		Authentifizierungstyp	RADIUS
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Design	
Basic Switching RJ-45 Ethernet Ports-Typ *	2.5G Ethernet (100/1000/2500)	Rack-Einbau *	✓
Anzahl 2.5G Ethernet (Kupfer)-Ports	8	Produktfarbe	Schwarz
Anzahl Combo-SPF-Anschlüsse	2	Reset-Knopf	✓
Netzwerk		LED-Anzeigen	✓
Netzstandard *	IEEE 802.3ab, IEEE 802.3af, IEEE 802.3an, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3z	Leistungen	
10G-Unterstützung *	✓	Speichertyp	DRAM
Port-Spiegelung	✓	Speicherkapazität	512 MB
Unterstützung Datenflusssteuerung	✓	Flash-Speicher	32 MB
Broadcast-Sturmkontrolle	✓	Ventilatorlos	✓
Spannbaum-Protokoll	✓	Energie	
Ethernet LAN Datentransferraten	100,1000,1200 Mbit/s	Energiequelle *	AC
VLAN-Unterstützung	✓	Netzteil enthalten *	✓
Anzahl der VLANs	4094	AC Eingangsspannung	100 - 240 V
Datenübertragung		AC Eingangsfrequenz	50/60 Hz
Routing-/Switching-Kapazität *	80 Gbit/s	Stromverbrauch (max.)	13,58 W
Transferrate	59,53 Mpps	Power over Ethernet (PoE)	
MAC-Adressentabelle *	16000 Eintragungen	Power over Ethernet (PoE) *	✗
Store-and-Forward	✓	Betriebsbedingungen	
Statische Route	✓	Betriebstemperatur	-5 - 50 °C
		Temperaturbereich bei Lagerung	-20 - 70 °C
		Relative Luftfeuchtigkeit in Betrieb	0 - 95%

Datenübertragung		Betriebsbedingungen	
Anzahl der statischen Routen	128	Luftfeuchtigkeit bei Lagerung	0 - 95%
Jumbo Frames Unterstützung	✓	Gewicht und Abmessungen	
Jumbo-Frames	12000	Breite	330 mm
Sicherheit		Tiefe	200 mm
DHCP-Funktionen	DHCP client, DHCP server, DHCP snooping	Höhe	44 mm
Zugriffskontrollliste	✓	Gewicht	1,88 kg
Zugriffskontrollliste (ACL) IPv4-Einträge	768	Lieferumfang	
		Schnellstartübersicht	✓
		Zertifikate	
		Zertifizierung	CB, UL, BSMI, CE Class A, VCCI Class A, FCC Class A, IC, BSMI, RCM



0790069473678



790069473678

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.