

D-Link DMS-1250-10SPL Managed L2/L3 2.5G Ethernet (100/1000/2500) Power over Ethernet (PoE) Schwarz

Marke : D-Link

Artikel-Code: DMS-1250-10SPL/E


Produktname : DMS-1250-10SPL



D-Link DMS-1250-10SPL. Switch-Typ: Managed, Switch-Ebene: L2/L3. Basic Switching RJ-45 Ethernet Ports-Typ: 2.5G Ethernet (100/1000/2500), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 80 Gbit/s. Netzstandard: IEEE 802.3ab, IEEE 802.3bt, IEEE 802.3bz, IEEE 802.3ae, IEEE 802.3af, IEEE 802.3an, IEEE 802.3u,.... DC input Spannung: 54 V. Netzstecker: DC-Anschluss. Power over Ethernet (PoE). Rack-Einbau

Management-Funktionen		Sicherheit	
Switch-Typ *	Managed	IGMP-Einträge	256
Switch-Ebene	L2/L3	Loop Protection	✓
Quality of Service (QoS) Support	✓	Passwortschutz	✓
Web-basiertes Management	✓	Autentifizierungstyp	RADIUS
ARP-Inspektion	✓	Design	
MIB Unterstützung	✓	Rack-Einbau *	✓
Anschlüsse und Schnittstellen		Produktfarbe	Schwarz
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Reset-Knopf	✓
Basic Switching RJ-45 Ethernet Ports-Typ *	2.5G Ethernet (100/1000/2500)	LED-Anzeigen	✓
Anzahl 2.5G Ethernet (Kupfer)-Ports	8	Leistungen	
Anzahl Combo-SPF-Anschlüsse	2	Speichertyp	DRAM
Netzstecker	DC-Anschluss	Speicherkapazität	512 MB
Netzwerk		Flash-Speicher	32 MB
Netzstandard *	IEEE 802.3ab, IEEE 802.3bt, IEEE 802.3bz, IEEE 802.3ae, IEEE 802.3af, IEEE 802.3an, IEEE 802.3u, IEEE 802.3at, IEEE 802.3z, IEEE 802.3az	Energie	
		Energiequelle *	Gleichstrom
10G-Unterstützung *	✓	Netzteil enthalten *	✓
Port-Spiegelung	✓	DC input Spannung	54 V
Unterstützung Datenflusssteuerung	✓	Eingangsstrom	2.78 A
Broadcast-Sturmkontrolle	✓	Stromverbrauch (max.)	147 W
Spannbaum-Protokoll	✓	Power over Ethernet (PoE)	
Ethernet LAN Datentransferraten	1000,100,2500 Mbit/s	Power over Ethernet (PoE) *	✓
VLAN-Unterstützung	✓	Anzahl Power over Ethernet (PoE) Anschlüsse	8
Anzahl der VLANs	4094	Power over Ethernet (PoE) Leistung pro Anschluss	30 W
Datenübertragung		Gesamtleistung Power over Ethernet (PoE)	120 W
Routing-/Switching-Kapazität *	80 Gbit/s	Betriebsbedingungen	
Transferrate	59,53 Mpps	Betriebstemperatur	0 - 40 °C
		Temperaturbereich bei Lagerung	-20 - 70 °C

Datenübertragung		Betriebsbedingungen	
MAC-Adressentabelle *	16000 Eintragungen	Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Store-and-Forward	✓	Luftfeuchtigkeit bei Lagerung	0 - 95%
Statische Route	✓	Gewicht und Abmessungen	
Anzahl der statischen Routen	128	Breite	210 mm
Jumbo Frames Unterstützung	✓	Tiefe	210 mm
Jumbo-Frames	12000	Höhe	44 mm
Sicherheit		Gewicht	1,34 kg
DHCP-Funktionen	DHCP server, DHCP client, DHCP snooping	Lieferumfang	
Zugriffskontrollliste	✓	Schnellstartübersicht	✓
Zugriffskontrollliste (ACL) IPv4-Einträge	768	Zertifikate	
Zugriffskontrollliste (ACL) IPv6-Einträge	384	Zertifizierung	CB, UL, BSMI, CE Class A, VCCI Class A, FCC Class A, IC, BSMI, RCM
IGMP-Snooping	✓		



0790069473746



790069473746

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.