

D-Link DMS-1250-12TP/E Netzwerk-Switch Managed 2.5G Ethernet (100/1000/2500) Power over Ethernet (PoE) Schwarz

Marke : D-Link

Artikel-Code: DMS-1250-12TP/E


Produktname : DMS-1250-12TP/E



D-Link DMS-1250-12TP/E. Switch-Typ: Managed. Basic Switching RJ-45 Ethernet Ports-Typ: 2.5G Ethernet (100/1000/2500), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 10. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 129 Gbit/s. Netzstandard: IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3af, IEEE 802.3an, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt,.... Netzstecker: AC-Eingangsbuchse. Power over Ethernet (PoE). Rack-Einbau

Management-Funktionen		Sicherheit	
Switch-Typ *	Managed	IGMP-Einträge	256
Quality of Service (QoS) Support	✓	Loop Protection	✓
Web-basiertes Management	✓	Passwortschutz	✓
ARP-Inspektion	✓	Autentifizierungstyp	RADIUS
MIB Unterstützung	✓	Design	
Anschlüsse und Schnittstellen		Rack-Einbau *	✓
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	10	Produktfarbe	Schwarz
Basic Switching RJ-45 Ethernet Ports-Typ *	2.5G Ethernet (100/1000/2500)	Reset-Knopf	✓
Anzahl 2.5G Ethernet (Kupfer)-Ports	8	LED-Anzeigen	✓
Anzahl 10G Ethernet (Kupfer)-Ports	2	Leistungen	
Anzahl Combo-SPF-Anschlüsse	2	Speichertyp	DRAM
Netzstecker	AC-Eingangsbuchse	Speicherkapazität	512 MB
Netzwerk		Energie	
Netzstandard *	IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3af, IEEE 802.3an, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3z	Energiequelle *	AC
10G-Unterstützung *	✓	Netzteil enthalten *	✓
Port-Spiegelung	✓	AC Eingangsspannung	100 - 240 V
Unterstützung Datenflusssteuerung	✓	AC Eingangsfrequenz	50/60 Hz
Broadcast-Sturmkontrolle	✓	Stromverbrauch (max.)	289,74 W
Spannbaum-Protokoll	✓	Power over Ethernet (PoE)	
Ethernet LAN Datentransferraten	100,1000,2500 Mbit/s	Power over Ethernet (PoE) *	✓
VLAN-Unterstützung	✓	Anzahl Power over Ethernet (PoE) Anschlüsse	8
Anzahl der VLANs	4094	Power over Ethernet (PoE) Leistung pro Anschluss	30 W
Datenübertragung		Gesamtleistung Power over Ethernet (PoE)	240 W
Routing-/Switching-Kapazität *	129 Gbit/s	Betriebsbedingungen	
Transferrate	89,29 Mpps	Betriebstemperatur	-5 - 50 °C
		Temperaturbereich bei Lagerung	-20 - 70 °C
		Relative Luftfeuchtigkeit in Betrieb	0 - 95%

Datenübertragung		Betriebsbedingungen	
MAC-Adressentabelle *	16000 Eintragungen	Luftfeuchtigkeit bei Lagerung	0 - 95%
Store-and-Forward	✓	Gewicht und Abmessungen	
Jumbo Frames Unterstützung	✓	Breite	440 mm
Jumbo-Frames	12000	Tiefe	210 mm
Sicherheit		Höhe	44 mm
DHCP-Funktionen	DHCP client, DHCP server, DHCP snooping	Gewicht	3,24 kg
Zugriffskontrollliste	✓	Lieferumfang	
Zugriffskontrollliste (ACL) IPv4-Einträge	768	Schnellstartübersicht	✓
Zugriffskontrollliste (ACL) IPv6-Einträge	384	Zertifikate	
IGMP-Snooping	✓	Zertifizierung	CB, UL, BSMI, CE Class A, VCCI Class A, FCC Class A, IC, BSMI, RCM



0790069472442



790069472442

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.