



D-Link DGS-1250-28XP Managed L2+ Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Desktop Schwarz

Marke : D-Link

Artikel-Code: DGS-1250-28XP/E

Produktname : DGS-1250-28XP



D-Link DGS-1250-28XP. Switch-Typ: Managed, Switch-Ebene: L2+. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 24, Konsolen-Port: RJ-45. MAC-Adressentabelle: 16000 Eintragungen, Routing-/Switching-Kapazität: 128 Gbit/s. Netzstandard: IEEE 802.1Q. Power over Ethernet (PoE). Rack-Einbau, Formfaktor: Desktop



Management-Funktionen		Design	
Switch-Typ *	Managed	Rack-Einbau *	✓
Switch-Ebene	L2+	Formfaktor	Desktop
Quality of Service (QoS) Support	✓	Produktfarbe	Schwarz
Web-basiertes Management	✓	LED-Anzeigen	✓
Traffic-Klassifizierung	✓	Anzahl Lüfter	1 Lüfter
Anschlüsse und Schnittstellen		Leistungen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	24	Speichertyp	DDR3-SDRAM
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Speicherkapazität	512 MB
Menge Modul-Steckplätze SFP+	4	Flash-Speicher	32 MB
Konsolen-Port	RJ-45	Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	322413,39 h
Netzwerk		Energie	
Netzstandard *	IEEE 802.1Q	Energiequelle *	AC
10G-Unterstützung *	✓	Netzteil enthalten *	✓
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 1000BASE-T, 10GBASE-T	Stromverbrauch (max.)	452,52 W
Link Aggregation	✓	Power over Ethernet (PoE)	
Spannbaum-Protokoll	✓	Power over Ethernet (PoE) *	✓
Ethernet LAN Datentransferraten	10,1000,10000 Mbit/s	Gesamtleistung Power over Ethernet (PoE)	375 W
VLAN-Unterstützung	✓	Betriebsbedingungen	
Virtuelle LAN-Funktionen	Voice VLAN	Betriebstemperatur	-5 - 50 °C
Datenübertragung		Temperaturbereich bei Lagerung	-20 - 70 °C
Routing-/Switching-Kapazität *	128 Gbit/s	Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Transferrate	95,24 Mpps	Luftfeuchtigkeit bei Lagerung	0 - 95%
MAC-Adressentabelle *	16000 Eintragungen	Gewicht und Abmessungen	
Datenpaket-Pufferspeicher	12 MB	Breite	440 mm
Sicherheit		Tiefe	250 mm
Zugriffskontrollliste	✓	Höhe	44 mm
IGMP-Snooping	✓	Gewicht	3,83 kg

Multicast-Funktionen		Lieferumfang	
Multicast Unterstützung	✓	Schnellstartübersicht	✓



0790069481062



790069481062

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.