

iiyama ProLite T1932MSC-B2S Computerbildschirm 48,3 cm (19") Touchscreen

Marke : iiyama

Produktfamilie: ProLite

Artikel-Code: T1932MSC-B2S

Produktname : T1932MSC-B2S

19" (48 cm) projektive kapazitiver 10pt-Touchscreen mit IPS-Panel-Technologie und randlosem Glasdesign
iiyama ProLite T1932MSC-B2S. Bildschirmdiagonale: 48,3 cm (19"), Reaktionszeit: 14 ms, Natives Seitenverhältnis: 5:4, Bildwinkel, horizontal: 178°, Bildwinkel, vertikal: 178°. Eingebaute Lautsprecher. VESA-Halterung

Bildschirm		Energie	
Bildschirmdiagonale *	48,3 cm (19")	Stromverbrauch (Standardbetrieb) *	20 W
Natives Seitenverhältnis *	5:4	Stromverbrauch (Standby) *	1,5 W
Panel-Typ *	IPS	Stromverbrauch (aus)	0,3 W
Touchscreen *	✓	AC Eingangsspannung	100 - 240 V
Touchscreen Technologie	Projizierts Kapazitivsystem	AC Eingangsfrequenz	50/60 Hz
Anzahl der gleichzeitigen Touchpoints	10	Netzteiltyp	Intern
Helligkeit (typisch)	250 cd/m²	Gewicht und Abmessungen	
Helligkeit	225 cd/m²	Gerätebreite (inkl. Standfuß)	432 mm
Reaktionszeit *	14 ms	Gerätetiefe (inkl. Standfuß)	239,5 mm
Messungsart der Reaktionszeit	GTG (Gray to Gray)	Gerätehöhe (inkl. Standfuß)	413,5 mm
Kontrastverhältnis *	1000:1	Gewicht (inklusive Standfuß)	5,4 kg
Bildwinkel, horizontal	178°	Verpackungsdaten	
Bildwinkel, vertikal	178°	Verpackungsbreite	530 mm
Anzahl der Farben des Displays *	16,7 Millionen Farben	Verpackungstiefe	190 mm
Pixel Abstand	0,293 x 0,293 mm	Verpackungshöhe	495 mm
Horizontaler Scanbereich	31 - 80 kHz	Paketgewicht	7,4 kg
Sichtbare Größe (horizontal)	37,5 cm	USB Kabellänge	1,8 m
Sichtbare Größe (vertikal)	30 cm	Lieferumfang	
Bildschirmdiagonale (cm)	48 cm	Mitgelieferte Kabel	AC, USB, HDMI, DisplayPort, Audio
Multimedia		Schnellstartübersicht	✓
Anzahl der Lautsprecher	2	Audiokabellänge	1,8 m
RMS-Leistung	2 W	DisplayPort Kabellänge	1,8 m
Eingebaute Lautsprecher *	✓	HDMI-Kabellänge	1,8 m
Design		Stromkabellänge	1,8 m
Vorderer Rahmen	Schwarz	Nachhaltigkeit	
Anschlüsse und Schnittstellen		Nachhaltigkeitszertifikate	ErP
USB-Touch-Anschluss	✓	Sonstige Funktionen	
Anzahl VGA (D-Sub) Anschlüsse	1	Internationale Schutzart (IP-Code)	IP54
Anzahl DisplayPort Anschlüsse	1	Kompatible Betriebssysteme	All iiyama monitors are Plug & Play and compatible with Windows and Linux. For details regarding the supported OS for the touch models, please refer to the driver instruction file available in the downloads section.
Audioanschlüsse	✓		
HDCP	✓		
Ergonomie			
VESA-Halterung *	✓	Benutzerkontrollen	Picture (contrast, brightness, H.position, V.position, phase, clock, auto adjust), advanced (color temp., sharpness), OSD (timeout, position, H-position, V-position), option (reset, language, source select, display mode, volume, factory)
Panel-Montage-Schnittstelle	100 x 100 mm		
Verbessertes Kabelmanagement	✓	Helligkeit	225 cd/m²
Kabelsperr-Slot *	✓		
Slot-Typ Kabelsperr	Kensington	Verpackungsinhalt	Screwdriver
Neigungsverstellung	✓		
On-Screen-Display (OSD)	✓		

Ergonomie		Sonstige Funktionen	
Menüsprachen	Traditionelles Chinesisch, Deutsch, Englisch, Spanisch, Französisch, Italienisch, Japanisch	Aktiver Displaybereich (B x H)	375 x 300 mm
		Berührungsmethode	stylus, finger, glove
		Gewicht	5,4 kg
		Höhe	413,5 mm
		Breite	432 mm
		Tiefe	239,5 mm
		Bedienfeld	Menu, Scroll up/ Brightness, Scroll down/ Mute, Select, Power
		Konformitätsbescheinigungen	CE, cULus, EAC, REACH, RoHS, UKCA, WEEE
		Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	50000 h
Energie			
Energieeffizienzklasse (SDR) *	E		



4948570127771

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.