TP-Link 2.4GHz 300Mbps 9dBi Outdoor CPE 300 Mbit/s Weiß Power over Ethernet (PoE)





Marke : TP-Link

Artikel-Code: CPE210

Produktname : 2.4GHz 300Mbps 9dBi Outdoor CPE

TP-Link 2.4GHz 300Mbps 9dBi Outdoor CPE. 2,4 GHz, Maximale Datenübertragungsrate: 300 Mbit/s. Unterstützte Sicherheitsalgorithmen: 64-bit WEP, 128-bit WEP, 152-bit WEP, SSID, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK. Power over Ethernet (PoE). Produktfarbe: Weiß. Stromverbrauch (max.): 10,5 W

Merkmale	
2,4 GHz *	✔
5 GHz *	✘
Maximale Datenübertragungsrate *	300 Mbit/s
Maximale Datenübertragungsrate (2,4 GHz)	300 Mbit/s
Frequenzband	2.4 - 2.483 GHz
Bandbreite	2,4 GHz
Netzstandard	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
MIMO	✔
MIMO-Typ	Multi User MIMO
Maximum Außenabstand	5000 m
Empfängersensitivität	802.11b: 11M: -95dBm, 5.5M: -96dBm, 2M: -96dBm, 1M: -96dBm -802.11g: 54M: -79dBm, 48M: -80dBm, 36M: -84dBm, 6-24M: -88dBm 802.11n: MCS15: -76dBm, MCS14: -78dBm, MCS13: -80dBm, MCS12: -84dBm, MCS11: -87dBm, MCS10: -91dBm, MCS9: -93dBm, MCS8: -96dBm, MCS7: -76dBm, MCS6: -78dBm, MCS5: -80dBm, MCS4: -84dBm, MCS3: -87dBm, MCS2: -91dBm, MCS1: -93dBm, MCS0: -96dBm

Sicherheit	
Unterstützte Sicherheitsalgorithmen *	64-bit WEP, 128-bit WEP, 152-bit WEP, SSID, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK
MAC Adressen Filtern	✔

Protokolle	
Management-Protokolle	TDMA

Management-Funktionen	
Web-basiertes Management	✔
Management-Plattform	Pharos Control

Design	
Platzierung *	Wand
Produktfarbe *	Weiß
Internationale Schutzart (IP-Code)	IPX5
Reset-Knopf	✔
LED-Anzeigen	✔

Antenne	
Antennentyp *	Intern
Antennenfunktionen	Integrierte Antenne
Anzahl der Antennen	1
Antenne Zunahmeniveau (max)	9 dBi

Leistungen	
Eingebauter Prozessor	✔
Prozessor	Qualcomm Atheros
Prozessortaktfrequenz	560 MHz
Flash-Speicher	8 MB
Speicherkapazität	64 MB
Kompatible Betriebssysteme	Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 8, Windows 7, MAC OS, NetWare, UNIX or Linux.

Zertifikate	
Zertifizierung	- FCC/UL/IC/GS/PSB/C-tick/SAA/S-Mark/KC-mark - RoHS, IPX5

Gewicht und Abmessungen	
Breite	224 mm
Tiefe	79 mm
Höhe	60 mm

Lieferumfang	
Mitgelieferte Kabel	AC
Montageset	✔

Betriebsbedingungen	
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Betriebstemperatur	-30 - 70 °C

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	1

Energie	
Power over Ethernet (PoE) *	✔
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50 - 60 Hz
Eingangsstrom	0.8 A
Ausgangsspannung	24 V
Ausgangsstrom	1 A
Stromverbrauch (max.)	10,5 W

Betriebsbedingungen	
Temperaturbereich bei Lagerung	-40 - 70 °C
Luftfeuchtigkeit bei Lagerung	5 - 95%

Logistikdaten	
Warentarifnummer (HS)	85176990

1210002611435

0840460604833

840460604833

1210002611428

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 21-SEP-2026. Prints or copies of Information are only valid on the printed Publication date