

D-Link DGS-1210-10 Managed L2 Gigabit Ethernet (10/100/1000) 1U Schwarz, Grau

Marke : D-Link

Artikel-Code: DGS-1210-10/E

Produktname : DGS-1210-10

8x 10/100/1000BASE-T RJ-45 + 2x 100/1000 Mbps SFP, 20 Gbps, 14.88 Mpps, 8K MAC, 280 x 126 x 44 mm

D-Link DGS-1210-10. Switch-Typ: Managed, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. Vollduplex. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 20 Gbit/s. Netzstandard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Netzstecker: DC-Anschluss. Rack-Einbau, Formfaktor: 1U



Management-Funktionen		Leistungen	
Switch-Typ *	Managed	Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	205249 h
Switch-Ebene	L2	Energie	
Quality of Service (QoS) Support	✓	AC Eingangsspannung	100 - 240 V
Web-basiertes Management	✓	Power over Ethernet (PoE)	
ARP-Inspektion	✓	Power over Ethernet (PoE) *	✗
Konfiguration der Standorteinstellungen (CLI)	✓	Betriebsbedingungen	
MIB Unterstützung	✓	Betriebstemperatur	0 - 40 °C
Anschlüsse und Schnittstellen		Temperaturbereich bei Lagerung	-10 - 70 °C
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Relative Luftfeuchtigkeit in Betrieb	10 - 95%
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Luftfeuchtigkeit bei Lagerung	5 - 95%
Menge SFP-Modul-Steckplätze	2	Wärmeableitung	373,96 BTU/h
Netzstecker	DC-Anschluss	Gewicht und Abmessungen	
Netzwerk		Breite	280 mm
Netzstandard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Tiefe	126 mm
10G-Unterstützung *	✗	Höhe	44 mm
Port-Spiegelung	✓	Gewicht	980 g
Vollduplex	✓	Verpackungsdaten	
Unterstützung Datenflusssteuerung	✓	Verpackungsbreite	286 mm
Link Aggregation	✓	Verpackungstiefe	325 mm
Auto MDI/MDI-X	✓	Verpackungshöhe	70 mm
Spannbaum-Protokoll	✓	Paketgewicht	2,08 kg
Head-of-Line (HOL)-Blocking	✓	Technische Details	
Auto-Negotiation-Funktion	✓	Versandkartonshöhe	31,7 cm
Datenübertragung		Versandkartonsbreite	34,6 cm
Routing-/Switching-Kapazität *	20 Gbit/s	Versandkartonslänge	38,2 cm
Transferrate	14,88 Mpps	Nettogewicht Versandkarton	10,4 kg
MAC-Adressentabelle *	8000 Eintragungen	Menge pro Versandkarton	5 Stück(e)
Store-and-Forward	✓	Palettenbruttogewicht (Luft)	425,5 kg
Jumbo Frames Unterstützung	✓	Anzahl der Kartons pro Palette (Luft)	36 Stück(e)
Jumbo-Frames	9216	Anzahl pro Palette (Luft)	180 Stück(e)
Datenpaket-Pufferspeicher	0,512 MB	Palettenlänge (brutto)	110 cm
		Palettenbreite (brutto)	120 cm
		Palettenhöhe (Luft)	140,3 cm
		Palettenbruttogewicht (Meer)	625,9 kg

Sicherheit		Technische Details	
Zugriffkontrollliste	✓	Anzahl der Kartons pro Palette (See)	54 Stück(e)
IGMP-Snooping	✓	Anzahl pro Palette (See)	270 Stück(e)
MAC Adressen Filtern	✓	Palettenhöhe (See)	2,04 m
Loop Protection	✓	Gewicht (innerer) Versandkarton	11,1 kg
Multicast-Funktionen		Logistikdaten	
Multicast Unterstützung	✓	Warentarifnummer (HS)	85176990
Design			
Rack-Einbau *	✓		
Stapelbar *	✓		
Formfaktor	1U		
Produktfarbe	Schwarz, Grau		



0790069467707



790069467707



5704174940302

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.