

D-Link DBA-X1230P WLAN Access Point 1200 Mbit/s Weiß Power over Ethernet (PoE)

Marke : D-Link

Artikel-Code: DBA-X1230P

Produktname : DBA-X1230P

- Zentrale cloudbasierte Verwaltung per Browser und App
- Wi-Fi 6 mit Dualband-Übertragungsraten von bis zu 1,8 Gbit/s
- Band Steering mit Airtime Fairness und MU-MIMO
- Power of Ethernet 802.3at
- Zero-Touch-Bereitstellung und Plug-and-Play-Installation
- WPA3-Verschlüsselung

Wi-Fi 6 Cloud-Managed Access Point

D-Link DBA-X1230P. 2,4 GHz, 5 GHz, Maximale Datenübertragungsrate: 1200 Mbit/s. Unterstützte Sicherheitsalgorithmen: SSID, WPA2, WPA3-Enterprise. Ethernet LAN Datentransferraten: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Produktfarbe: Weiß



Merkmale		Energie	
2,4 GHz *	✓	DC Spannungsrange	12 V
5 GHz *	✓	Eingangsstrom	1.5 A
Maximale Datenübertragungsrate *	1200 Mbit/s	Stromverbrauch (Standardbetrieb)	14 W
Maximale Datenübertragungsrate (2,4 GHz)	575 Mbit/s	Stromversorgung	16 W
Maximale Datenübertragungsrate (5 GHz)	1200 Mbit/s	Design	
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s	Platzierung *	Zimmerdecke, Wand
Netzstandard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3ab, IEEE 802.3at, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Produktfarbe *	Weiß
		LED-Anzeigen	Leistung
MIMO	✓	Antenne	
MIMO-Typ	Multi User MIMO	Antennentyp *	Intern
Unterstützung Datenflusssteuerung	✓	Antennenrichtungsart	Mit kugelförmiger Richtcharakteristik
Sendeleistung (CE)	23 dbm	Anzahl der Antennen	4
Sendeleistung (FCC)	22 dbm	Antenne Zunahmehöhe (max)	4 dBi
Sicherheit		Zertifikate	
Unterstützte Sicherheitsalgorithmen *	SSID, WPA2, WPA3-Enterprise	Konformitätsbescheinigungen	CE
MAC Adressen Filtern	✓	Gewicht und Abmessungen	
Anzahl der SSID-Unterstützung	16	Breite	170 mm
Fernauthentifizierungs-Einwahl-Benutzerdienst (RADIUS)	✓	Tiefe	42,2 mm
Management-Funktionen	✓	Höhe	170 mm
		Gewicht	484 g
Anschlüsse und Schnittstellen	1	Lieferumfang	
		Montageset	✓
Energie	✓	Betriebsbedingungen	
		Relative Luftfeuchtigkeit in Betrieb	10 - 95%
		Betriebstemperatur	0 - 40 °C
		Temperaturbereich bei Lagerung	-20 - 65 °C
		Luftfeuchtigkeit bei Lagerung	5 - 95%

Logistikdaten

Warentarifnummer (HS)

85176990



0790069456930



790069456930

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.