



LevelOne GEP-2421W500 Netzwerk-Switch Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : LevelOne

Artikel-Code: GEP-2421W500

Produktname : GEP-2421W500

24 x RJ-45/10/100/1000 Mbps, PoE, 48Gbps, 100-240V, 50-60Hz, 500W, 3.8 kg

LevelOne GEP-2421W500. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 24. Vollduplex. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 48 Gbit/s. Netzstandard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE). Rack-Einbau



Management-Funktionen		Leistungen	
Switch-Typ *	Unmanaged	Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	55500 h
Anschlüsse und Schnittstellen		Energie	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	24	AC Eingangsspannung	100 - 240 V
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	AC Eingangsfrequenz	50 - 60 Hz
Netzwerk		Ausgangsspannung	56 V
Netzstandard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Ausgangsleistung	30 W
10G-Unterstützung *	✗	Stromverbrauch (Standardbetrieb)	500 W
Kupfer Ethernet Verkabelungstechnologie unterstützte Kabeltypen	10BASE-T, 100BASE-TX, 1000BASE-T Cat3, Cat4, Cat5, Cat5e, Cat6, Cat7	Power over Ethernet (PoE)	
Vollduplex	✓	Power over Ethernet (PoE) *	✓
Unterstützung Datenflusssteuerung	✓	Anzahl Power over Ethernet (PoE) Anschlüsse	24
Auto MDI/MDI-X	✓	Betriebsbedingungen	
Auto-Negotiation-Funktion	✓	Betriebstemperatur	0 - 50 °C
Selbstlernen von MAC-Adressen unterstützt	✓	Temperaturbereich bei Lagerung	-20 - 70 °C
Auto-Änderung von MAC-Adressen unterstützt	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Datenübertragung		Gewicht und Abmessungen	
Routing-/Switching-Kapazität *	48 Gbit/s	Breite	440 mm
MAC-Adressentabelle *	8000 Eintragungen	Tiefe	220 mm
Jumbo Frames Unterstützung	✓	Höhe	44 mm
Jumbo-Frames	10000	Gewicht	3,4 kg
Paketweiterleitungsrate (1 Gbit/s)	1488000 pps	Lieferumfang	
Paketweiterleitungsrate (100 Mbit/s)	148800 pps	Betriebsanleitung	✓
Paketweiterleitungsrate (10 Mbit/s)	14880 pps	Rackmontageset	✓
Datenpaket-Pufferspeicher	4,1 MB	Verpackungsdaten	
Design		Verpackungsart	Box
Rack-Einbau *	✓	Gummifüße	✓
		Verpackungsbreite	260 mm
		Verpackungstiefe	95 mm
		Verpackungshöhe	540 mm
		Paketgewicht	4 kg

Design		Logistikdaten	
Produktfarbe	Schwarz	Ursprungsland	Taiwan
LED-Anzeigen	LAN, PoE, Leistung	Umkartonbreite	510 mm
	EMI: EN55032:2012+AC:2013,	Umkartonlänge	280 mm
	EN55022:2010+AC:2011, AS/NZS	Umkartonhöhe	555 mm
	CISPR 22 Amdt. (2010),	Warentarifnummer (HS)	85176990
Behördliche Zulassung	EN61000-3-2:2014, EN61000-3-3:2013.	Bruttogewicht des Umkartons	18 kg
	EMS: EN55024:2010,	Anzahl Produkte pro Umkarton	5 Stück(e)
	IEC61000-4-2:2008,		
	IEC61000-4-3:2006+A1:2007+A2:2010,		
	IEC61000-4-4:2012,		
	IEC61000-4-5:2005,		
Sicherheit	IEC61000-4-6:2013,		
	IEC61000-4-8:2009,		
	IEC61000-4-11:2004		
	FCC Class A, CE		



4015867202135

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.